

### **OUR MISSION & VISION**

To enhance patient care worldwide by transforming the medical device technology that links patients to machines.

Rhythmlink International, LLC designs, manufactures and distributes medical devices and provides custom packaging, private labeling, custom products and contract manufacturing to its customers. Rhythmlink is recognized as a leader within its field at providing the important physical connection between patients and the diagnostic equipment to record or elicit neurophysiologic biopotentials.

Originally founded by neurodiagnostic technicians and engineers in 2002, Rhythmlink strives to provide continuous innovation and superior quality in all of its products. Based in Columbia, SC, Rhythmlink's advancements and improvements in technology, business development and corporate branding have brought national and international recognition.

We deliver peace of mind by providing superior products, consistent availability, continuous innovation and the highest level of customer service in the industry without wavering in our commitment to fair pricing.

To this end, we are Rhythmlink International, LLC.

#### REQUESTING SAMPLES

We know that once you try our products, you won't want to use anything else. That's why we offer product samples on most of our products.

Visit **Rhythmlink.com** or contact our sales team at **sales@rhythmlink.com** or 866.633.3754 to request your samples today.

#### STANDING ORDERS

Remove the time spent calling each month to generate the same order by setting up a Standing Order. Our Sales Team will work with you to create your recurring order which will then automatically ship to you by the 20th of each month.

#### **COMPETITIVE PRICING**

Rhythmlink offers competitive pricing based on volume with our promise to deliver your products promptly. We are happy to work with your service to meet your needs.

#### **SPECIAL ORDER & CUSTOM PRODUCTS**

Special Order and Custom Products may have an additional lead time due to the nature of custom manufacturing. These products are not part of the sample program. Contact our Sales Team for more information at **sales@rhythmlink.com**.

#### DON'T SEE WHAT YOU'RE LOOKING FOR?

Rhythmlink specializes in transforming ideas into real life solutions. Whether it's modifying an existing product or creating a brand new one, partner with Rhythmlink to create custom solutions specific to your needs. Learn more about our custom options on page 30.

# **TABLE OF CONTENTS**

MR Conditional/CT Electrodes	S	
Quick Connect System™	М	 7
Sticky Pad Surface Elec	trodes™	 18
Individual Connectors	 19	
RLI EEG Template	 22	
RLI BrainHealth™ Headset		 22
Artifact Free CT Electrodes		 23
Guardian Needle™		 24
PressOn™ Electrodes		 25
Recording Sticky Pad Surface	Electrodes	 25
Standard EEG Electrodes		 26
EMG/NCV Products		 32
RLI Concentric Needles		 33
RLI NCV Pads		35
Stimulating Probes		 40
Subdermal Needles		
Single Needles		 42
Paired Needles		 43
Twisted Paired Needles		 44
5 & 6 Twisted Needles		 45
Bent Needles		 45
Corkscrew Needles		 45
Guardian Needle		 46
MR/CT Sticky Pad Surface Elec	trodes	 47
Standard Sticky Pad Surface B	Electrodes	 48
Alligator Clips		 49
ET Tube Electrodes		 49
SightSaver™	 50	
Gels & Pastes		 50
Product Listing by Part Numb	 51	
Terms and Conditions	 53	



#### RHYTHMLINK EEG ELECTRODE OPTIONS

Deep Cup<sup>™</sup> - The disposable EEG deep cup is a traditional cup designed to hold ample conductive material and incorporates a broader rim design to assist with the protection of skin health. Available in Standard style (can be used for most CT studies), our premier CT style InvisaDeep<sup>™</sup> (for superior CT imaging), and our FDA Cleared MR Conditional/CT for 1.5T and 3T MRI.

Slim Cup<sup>™</sup> - The disposable EEG slim cup is designed with a lower profile dome to assist with patient comfort while integrating a broad rim. Available in Standard style (can be used for most CT studies), our premier CT style InvisaSlim<sup>™</sup> (for superior CT imaging), and our FDA Cleared MR Conditional/CT for 1.5T and 3T MRI.

Webb<sup>™</sup> - The disposable Webb<sup>™</sup> is our patented flat electrode design with greater surface area, high quality recordings, increased patient comfort, and designed with skin health at the forefront. Perfect for areas on the patient where skin health or skin injury is at the highest risk. Available in Standard style (can be used for most CT studies), our premier CT style InvisaWebb<sup>™</sup> (for superior CT imaging), and our FDA Cleared MR Conditional/CT for 1.5T and 3T MRI.

Small Webb™ - Our flat electrode design in a new smaller size yields high quality recordings, increased patient comfort, and is designed with skin health at the forefront. At just 6 mm wide, it's perfect any time you need a smaller electrode. Available in Standard style (can be used for most CT studies).

PressOn™ - Designed to be placed quickly for fast, quality recordings. The PressOn was designed to utilize medical staff already at bedside to collect real time data and provide the best patient care possible. Available in Standard style (can be used for most CT studies), our premier CT style InvisaPressOn™ (for superior CT imaging), and our FDA Cleared MR Conditional/CT for 1.5T and 3T MRI.

## RHYTHMLINK EEG OPTIONS

- **1. Standard EEG Electrodes** Disposable electrodes designed to provide quality recordings in a variety of styles and can be used for most CT studies.
- **2.** CT Invisa-Electrode™ Our premier CT design is an artifact free disposable electrode that can be left on your patient during a CT scan.



- **3. MR Conditional/CT Individual Connectors** FDA cleared for 1.5 & 3T, our disposable individual connectors can safely remain on your patient during an MRI or CT scan with no artifact.
- **4. MR Conditional/CT Quick Connect System™** FDA cleared for 1.5 & 3T, our disposable Quick Connect System is designed with fewer connection points for quick and efficient disconnection and reconnection of electrodes without removal from the patient for MR or CT imaging.



Slim Cup, Deep Cup and Webb are trademarks of Rhythmlink

\* Disposable Webbed EEG Electrodes US Patent No. D 644,738 and European Patent Registration Number 001893751-0001. and multiple patents pending.

Disposable MR Conditional/CT Electrodes can remain on a patient safely within an MR environment under specific conditions.

Extension cables are MR Unsafe.

## ABOUT RHYTHMLINK'S QUICK CONNECT SYSTEM




Rhythmlink's Quick Connect System™ is an FDA Cleared Disposable EEG Electrode System for 1.5 & 3T scanners. The extension cables are designed to remain at bedside as they are MR unsafe.

The Quick Connect System comes in a variety of configurations with varying numbers of arrays and total electrodes, different electrode styles and leadwire lengths. See the diagram below for more information.


A photo of a patient with a 4 Array Quick Connect applied with a headwrap.






## HOW TO USE RHYTHMLINK'S QUICK CONNECT SYSTEM

When a patient is referred to MRI simply disconnect by **pressing down gently on the yellow tab** and pull apart.



When the patient returns from the radiology suite, use the number labeling to reconnect. Matching number to number line up the connectors and insert the tab. You will hear a click which indicates the connector is locked in place.



See our full Quick Connect User Video online at www.rhythmlink.com/QC

Rhythmlink's FDA Cleared Disposable MR Conditional/CT Electrodes for 1.5 and 3T are designed for more efficient work flow and can remain on a patient safely within a 1.5 and 3T MRI environment when disconnected from their extension cables, or produce quality recordings and an artifact free image when used during CT scans.

### Disposable Quick Connect System™

Product Number		Descript	ion	Lead Length	Leads Per Box
	SLIM CUPS™				
MRQS2070615	<del>                                   </del>	ay & one 6 lea 2 (6)	ad array)	1.5m	13
MRQS309090515	3 Arrays (two 9 lead arr  Array 1 (9) Array	2 (9) A	ead array) rray 3 (5)	1.5m	23
MRQS310100315		2 (10) A	ead array) rray 3 (3)	1.5m	23
MRQS32410	3 Arrays (each contains  Array 1 (8) Array	2 (8) A	rray <b>3</b> (8)	1.0m	24
MRQS32415	3 Arrays (each contains  Array 1 (8) Array	2 (8) A	rray <b>3</b> (8)	1.5m	24
MRQS308080815	3 Arrays (each contains  Array 1 (8) Array	2 (8) A	rray 3 (8)	1.5m	24
MRQS32615	3 Arrays (two 8 lead arr  Array 1 (8) Array	2 (8) A	rray 3 (10)	1.5m	26

# Disposable Quick Connect System $^{\text{TM}}$

Product Number		Descr	iption		Lead Length	Leads Per Box
	SLIM CUPS™					
	4 Arrays (two 7 le	ad arrays & two				
MRQS42610	Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)	1.0m	26
	3 Arrays (two 10 le	ad arrays & one 8	lead array) + 4 s	ingle MR Slim Cups		
MRQS310100815	Array 1 (10)	Array 2 (10)	Array 3 (8)		1.5m	32
MICQUITOTO					1.5111	32
		••••				
	DEEP CUPS™					
	1 Array of 8 leads, 10-20 labeling					
MRQD10810	Array 1 (8)	1.0m	8			
WINGEROOM						
	2 Arrays (one 6 le					
MRQD2060710	Array 1 (6)	1.0m	13			
	2 Arrays (one 7 le	ad array & one 6 <b>Array 2</b> (6)	lead array), 10-2 	0 labeling		
MRQD2070615	Array 1 (7)		1.5m	13		
	2 Arrays (each co	ntain 7 leads)	l			
MRQD2070715	Array 1 (7)	Array 2 (7)	1		1.5m	14
WINGDZOTOTIS		1.5111	14			
	2 Arrays (one 7 le					
	Array 1 (7)					
MRQD2070810	••••	••••			1.0m	15
		••••				

# Disposable Quick Connect System™

Product Number		Desc	cription	Lead Length	Leads Per Box
	DEEP CUPS™				
MRQD2080915	2 Arrays (one 8  Array 1 (8)	Array 2 (9)	9 lead array)	1.5	17
MRQD2090910	2 Arrays (each c	Array 2 (9)		1.0m	18
MRQD21915	2 Arrays (one 9 le	Array 2 (8)	lead array) + 2 Single MR Deep Cups	1.5m	19
MRQD2101015	2 Arrays (each of Array 1 (10)	Array 2 (10)		1.5m	20
MRQD22015	2 Arrays (each of Array 1 (10)	Array 2 (10)		1.5m	20
MRQD307070710	Array 1 (7)		Array 3 (7)	1.0m	21
MRQD307080815	3 Arrays (two 8  Array 1 (7)	Array 2 (8)	Array 3 (8)	1.5m	23
MRQD310100315	3 Arrays (two 10  Array 1 (10)	Array 2 (10)	e 3 lead array)  Array 3 (3)	1.5m	23

# Disposable Quick Connect System $^{\text{TM}}$

Product Number		Des	cription		Lead Length	Leads Per Box		
	DEEP CUPS™							
	3 Arrays (two 9	lead arrays & one	e 5 lead array)	_				
MRQD32315	<b>Array 1</b> (9)	Array 2 (9)	<b>Array 3</b> (5)	_	1.5m	23		
		••••			1.5111	23		
	3 Arrays (two 9	lead arrays & one	e 5 lead array)					
	<b>Array 1</b> (9)	Array 2 (5)	Array 3 (9)	7				
MRQD323153	••••	••••	••••		1.5m	23		
	3 Arrays (two 9 le	ead arrays & one 5 I	ead array) in green,	 /red/white sleeves				
	Array 1 (9)	Array 2 (9)	Array 3 (5)	7				
MRQD323154					1.5m	23		
	4 Arrays (three	6 lead arrays & o						
MRQD40606060515	Array 1 (6)	Array 2 (6)	Array 3 (6)	Array 4 (5)	1.5m	23		
	•••••							
	3 Arrays (two 8	lead arrays & one	e 7 lead array)					
	Array 1 (8)	Array 2 (7)	Array 3 (8)	7		23		
MRQD308070815	•••	••••	••••	]	1.5m			
	••••		••••					
	3 Arrays (two 9	lead arrays & one	e 5 lead array)					
	<b>Array 1</b> (5)	Array 2 (9)	<b>Array 3</b> (9)	7				
MRQD305090915	••••	••••		]	1.5m	23		
	3 Arrays (two 9 le	ead arrays & one 5 l	ead array) in blue/re	ed/black sleeves				
	Array 1 (9)	Array 2 (9)	<b>Array 3</b> (5)		1.5			
MRQD309090515					1.5m	23		
	3 Arrays (each o	contains 8 leads)						
	Array 1 (8)	Array 2 (8)	Array 3 (8)	7				
MRQD32410			••••		1.0m	24		

# Disposable Quick Connect System™

Product Number		Desc		Lead Length	Leads Per Box	
	DEEP CUPS™					
	3 Arrays (each o	contains 8 leads)		-		
MRQD32415	Array 1 (8)	Array 2 (8)	Array 3 (8)	_	1.5m	24
					1.5111	
	3 Arrays (two 9	lead arrays & one	e 6 lead array), 10-	20 labeling		
MP0D200060010	<b>Array 1</b> (9)	Array 2 (6)	Array 3 (9)	]	1.0m	24
MRQD309060910		0		1.0111	1.0111	24
	3 Arrays (two 9	lead arrays & one	e 6 lead array)			
MRQD324102	<b>Array 1</b> (9)	Array 2 (6)	Array 3 (9)	]	1.0m	24
	••••		••••		1.0111	24
				]		
	3 Arrays (two 10					
MRQD310041015	Array 1 (10)	Array 2 (4)	Array 3 (10)	1.5m	1.5m	24
mingsold hald						
	3 Arrays (one 8 20 labeling	3 Arrays (one 8 lead array, one 7 lead array & one 10 lead array), 10-20 labeling				
MRQD308071015	Array 1 (8)	Array 2 (7)	<b>Array 3</b> (10)		1.5m	25
	••••	••••				
	3 Arrays (two 10	lead arrays and	one 5 lead array)			
MD0D3100E101E	<b>Array 1</b> (10)	Array 2 (5)	Array 3 (10)	]	15	25
MRQD310051015			••••		1.5m	25
	4 Arrays (two 7 10-20 labeling	lead arrays, one	one 6 lead array & one 5 lead array),			
MRQD40707060515	Array 1 (7)	Array 2 (7)	Array 3 (6)	<b>Array 4</b> (5) 1.5m	1.5m	25

# Disposable Quick Connect System™

Product Number		Lead Length	Leads Per Box			
	DEEP CUPS™					
	4 Arrays (three	arrays of 6 & one	7 lead array)			
MRQD40606060715	Array 1 (6)	Array 2 (6)	Array 3 (6)	Array 4 (7)	1.5m	25
			•••••			
	4 Arrays (three	6 lead arrays & o	ne 7 lead array)			
MRQD40607060610	Array 1 (6)	Array 2 (6)	Array 3 (6)	Array 4 (7)	1.0m	25
		0				
	3 Arrays (two 10	lead arrays and	one 5 lead array)			
MRQD310100515	Array 1 (10)	Array 2 (10)	Array 3 (5)	]		
			•0••	1	1.0m	25
				]		
	3 Arrays (two 8					
LADO DO CALO	Array 1 (8)	Array 2 (8)	Array 3 (10)			26
MRQD32610		•••			1.0m	
	3 Arrays (two 8	lead arrays & one	10 lead array)	_		
MD0D2261E	Array 1 (8)	Array 2 (8)	<b>Array 3</b> (10)		1.5m	26
MRQD32615					1.5111	20
				]		
	3 Arrays (two 8	lead arrays & one	e 10 lead array), 10	-20 labeling		
MRQD308081015	Array 1 (8)	Array 2 (8)	<b>Array 3</b> (10)	]	1.5m	26
MRQD308081013					1.5111	20
	3 Arrays (two 10	lead arrays & on	e 6 lead array), 10	-20 labeling		26
MRQD310100615	<b>Array 1</b> (10)	Array 2 (10)	Array 3 (6)	_	1.5m	
MINGLOTOLOGIS	••••		•		1.5111	

# Disposable Quick Connect System $^{\mathsf{TM}}$

Product Number		Desc	ription		Lead Length	Leads Per Box		
	DEEP CUPS™							
	3 Arrays (two 8 le	ead arrays & one	· · · · · · · · · · · · · · · · · · ·	-20 labeling				
MRQD308100815	Array 1 (8)	Array 2 (10)	Array 3 (8)	_	1.5m	26		
min (q 2 d d d d d d d d d d d d d d d d d d		••••						
	3 Arrays (two 9 le	ead arrays & one	8 lead array), 10-	20 labeling				
	<b>Array 1</b> (9)	Array 2 (8)	<b>Array 3</b> (9)		1.5m	26		
MRQD309080915					1.3111	26		
	3 Arrays (two 10 I	-20 labeling						
MRQD310061015	Array 1 (10)	Array 2 (6)	Array 3 (10)	_	1.5m	26		
	4 Arrays (two 7 le	ad arrays & two						
MDOD 42610	Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)	1.0m	26		
MRQD42610			<del></del>		1.0111	20		
	4 Arrays (two 7 le	ead arrays & two	6 lead arrays)					
MRQD42615	Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)	1.5m	26		
			•••••					
	4 Arrays (two 7 le	ead arrays & two	6 lead arrays), 10	0-20 labeling				
MRQD40707060615	Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)	1.5m	26		
	•••••	•••••	•••••	•••••				
	3 Arrays (two 10 lead arrays & one 7 lead array), 10-20 labeling							
MD0D310100715	<b>Array 1</b> (10)	Array 2 (10)	Array 3 (7)	]	1 5 00	27		
MRQD310100715			••••		1.5m			

# Disposable Quick Connect System™

Product Number		Des	cription		Lead Length	Leads Per Box
	DEEP CUPS™					
	3 Arrays (two 10	lead arrays & one	7 lead array) + 2 sin	gle MR Deep Cups		
MRQD32915	Array 1 (10)	Array 2 (10)	Array 3 (7)	_	1.5m	27
					1.5111	2
	3 Arrays (two 8	lead arrays & one	9 lead array) + 4 sii	ngle MR Deep Cups		
MRQD308080915	Array 1 (8)	Array 2 (8)	Array 3 (9)	]		25
					1.5m	4
	3 Arrays (each o	contain 10 leads),	10-10 labeling			
MRQD310101010	<b>Array 1</b> (10)	Array 2 (10)	Array 3 (10)		1.0	20
					1.0m	30
	3 Arrays (each o					
MD0D310101015	<b>Array 1</b> (10)	Array 2 (10)	Array 3 (10)		1 F.m.	30
MRQD310101015			••••		1.5m	
	3 Arrays (each o	contain 10 leads),	10-10 labeling			
MD0D031010101F	<b>Array 1</b> (10)	Array 2 (10)	Array 3 (10)		1 5	20
MRQDC310101015	••••	••••	••••		1.5m	30
	4 Arrays (two 10	) lead arrays, one	5 lead array & on	e 8 lead array)		
	<b>Array 1</b> (10)	Array 2 (10)	<b>Array 3</b> (5)	Array 4 (8)		
MRQD41010050815			••••	••••	1.5m	33
	4 Arrays (two 10	) lead arrays & tw	o 7 lead arrays)			
MD0D40740074645	Array 1 (7)	Array 2 (10)	Array 3 (7)	Array 4 (10)	4.5	
MRQD40710071015					1.5m	34

# Disposable Quick Connect System $^{\text{TM}}$

Product Number		Des		Lead Length	Leads Per Box	
	WEBBS™					
	3 Arrays (each contains 8 leads)					
MRQW32410	Array 1 (8)	Array 2 (8)	Array 3 (8)	_	1.0m	24
WRQW32410					1.0111	2-7
	3 Arrays (each	contains 8 leads)	·			
	Array 1 (8)	Array 2 (8)	Array 3 (8)		1.5m	24
MRQW32415		•••				
				_		
	3 Arrays (two 9	lead arrays & on	e 5 lead array) + 1	single MR webb		
MD0W2241E20	<b>Array 1</b> (9)	Array 2 (9)	Array 3 (5)	]	1.5m	23
MRQW3241520	••••	••••	$\bigcirc$		2.0m	1
	3 Arrays (two 8	lead arrays & on				
MD0W3000001F	Array 1 (8)	Array 2 (8)	<b>Array 3</b> (9)		1.5m	25
MRQW308080915						
		••••		_		
	3 Arrays (two 8	lead arrays & on	e 10 lead array)	_		
MRQW32610	Array 1 (8)	Array 2 (8)	<b>Array 3</b> (10)		1.0m	26
MRQW32010					1.0111	20
				_		
	3 Arrays (two 8	lead arrays & on	e 10 lead array)	-		
MRQW32615	Array 1 (8)	Array 2 (8)	<b>Array 3</b> (10)		1.5m	26
MRQW32013					1.5111	20
	4 Arrays (two 7	lead arrays & two	o 6 lead arrays)			26
MRQW42615	Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)	1.5m	

# Disposable Quick Connect System™

Product Number		Des	scription		Lead Length	Leads Per Box	
	WEBBS™						
	3 Arrays (two 9	lead arrays & or	ne 10 lead array), 10	)-20 labeling			
MRQW309091015	Array 1 (9)	Array 2 (9)	Array 3 (10)	_	1.5m	29	
			0000				
	СОМВО						
MRQWSD306060515N	3 Arrays (two 6 & Webbs	lead arrays & or	arrays & one 5 lead array) Deep Cups, Slim Cups				
	Array 1 (6)	Array 2 (6)	<b>Array 3</b> (5)	1	1.5m	17	
	3 Arrays (two 8 & Webbs, 10-20						
MRQWSD308050815	Array 1 (8)	Array 2 (5)	Array 3 (8)		1.5m	21	
		••••					
	3 Arrays (two 8 lead arrays & one 5 lead array) Deep Cups, Slim Cups & Webbs						
MRQWSD308080515	Array 1 (8)	Array 2 (8)	<b>Array 3</b> (5)		1.5m	21	
	3 Arrays (two 7 lead arrays & one 8 lead array) Deep Cups & Webbs, 10-20 labeling						
MRQWD307070815	<b>Array 1</b> (7)	Array 2 (7)	Array 3 (8)		1.5m	22	
MILGANDOLOLOGIO		•••					

# Disposable Quick Connect System™


Product Number		Des	cription		Lead Length	Leads Per Box
		•	СОМВО			
	3 Arrays (two 9 Sticky Pads					
MRQS232415	<b>Array 1</b> (9)	Array 2 (9)	Array 3 (4)	]	1.5m	22
mitq023L ii3						2
	3 Arrays (two 8 Deep Cups & Wo	lead arrays & one	e 9 lead array)			
MRQDW308080915	Array 1 (8)	Array 2 (8)	Array 3 (9)	1.5m	1.5m	25
		••••				
	3 Arrays (two 10 Deep Cups & Wo					
MRQDW32815	<b>Array 1</b> (10)	Array 2 (10)	Array 3 (7)	1.5	1.5m	27 1
	4 Arrays (two 7 MR Sticky Pads	lead arrays & two	1 Em cunc	24		
MRQD42815	Array 1 (7)	Array 2 (5)	Array 3 (7)	Array 4 (5)	1.5m cups 2.5m pads	24
				••••		
	3 Arrays (two 10 MR Sticky Pads	_				
MRQD33020	<b>Array 1</b> (10)	Array 2 (8)	Array 3 (10)	]	2.0m	28
	••••	••••	••••	]	2.5m pads	2
				]		
	3 Arrays (two 10 lead arrays & 1 array of 8) + 4 Single MR Sticky Pads					
MRQS33215	<b>Array 1</b> (10)	Array 2 (10)	Array 3 (8)		1.5m	32
WINGSSSEIS					1110.1	


Rhythmlink's MR Conditional Sticky Pad™ Surface Electrodes are the same high-quality surface electrodes you've come to expect from Rhythmlink, now made with improved leadwire for enhanced CT Compatibility, and FDA Clearance for 1.5 and 3T MRI. Disposable MR Conditional Sticky Pads are available in two sizes and specially formulated for Stimulating, Recording or Grounding.

### MR Conditional/CT Disposable Sticky Pad Surface Electrodes


Product Number	Description	Lead Length	Electrodes Per Box		
Single Stimulating Sticky	Single Stimulating Sticky Pads				
MRSPSS8015	Creatific v 20mmal	1.5m			
MRSPSS8025	Small [15 x 20mm]	2.5m	80		
MRSPSL8015	Large [20 x 25 mm]	1.5m	00		
MRSPSL8025	Large [20 x 25mm] ••••	2.5m			
Single Recording Sticky P	ads				
MRSPRS4025	Small [15x20mm]	2.5m	40		
MRSPRL4015	Large [20 x 25mm] ●	1.5m	40		
MRSPRS8015	Small [15 x 20mm]	1.5m	00		
MRSPRS8025	Small [15 x 20mm]	2.5m			
MRSPRL8015	Large [20 v 25 rare]	1.5m	80		
MRSPRL8025	Large [20 x 25mm] ••••	2.5m			
Ground Sticky Pads					
MRSPG4015	45 25	1.5m	40		
MRSPG4025	45 x 35mm	2.5m	40		
Sample Pack					
MRSPSTMRECG1525	2 of each Sticky Pad Electrodes (Ground, Stimulating, Recording) in both Small and Large	1.5m & 2.5m	18		













Single Recording Sticky Pad Surface Electrode



# Disposable Individual Connectors

Product Number	Description	Lead Length	Electrodes Per Box
	Slim Cups™		
MRC210	Numbers 1 - 12	1.0m	
MRC215	Lead Wire	1.5m	
MRC225	Connector	2.5m	
MRC310	Numbers 13 - 24	1.0m	
MRC315	Lead Wire	1.5m	
MRC325	Connector O O O O O O O	2.5m	10
MRC410	— Numbers 25 - 36	1.0m	12
MRC415	Lead Wire	1.5m	
MRC425	Connector ••••••	2.5m	
MRC510	— Numbers 37 - 48	1.0m	
MRC515	Lead Wire	1.5m	
MRC525	Connector •••••••	2.5m	-
MRC3010	Numbers 1 - 30 Lead Wire Connector	1.0m	30
	Deep Cups™		
MRDC210	Numbers 1, 12	1.0m	
MRDC215	— Numbers 1 - 12 Lead Wire ●○●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●	1.5m	
MRDC225	Connector	2.5m	
MRDC310	Numbers 13 - 24	1.0m	
MRDC315	Lead Wire	1.5m	
MRDC325	Connector O O O O O O O	2.5m	12
MRDC410	Numbers 25 - 36	1.0m	
MRDC415	Lead Wire Connector	1.5m	
MRDC515	Numbers 37 - 48 Lead Wire Connector	1.5m	
MRDC2015	Mixed Numbers  Lead Wire Connector 1 3 5 7 9 10 12 14 16 18 19 20 21 22 23 24 25 27 28 29	1.5m	20

# Disposable Individual Connectors

Product Number	Description	Lead Length	Electrodes Per Box
	Deep Cups™		
MRDC2215	Numbers 1 - 22 Lead Wire Connector		22
MRDC2415	Single pouch with one coil of Numbers 1-12 and one coil of Numbers 13-24.	1.5m	24
MRDC2615	Numbers 1 - 26 Lead Wire Connector		26
MRDC2710	Numbers 1-27 Lead Wire Connector	1.0m	27
MRDC2910	Numbers 1 - 29 Lead Wire O	1.0m	29
MRDC2915	Connector •••••••••••••	1.5m	
RLSP518	MR/CT Deep Cup with 10/20 labeling in Leadwire Sleeves Large Recording Sticky Pads™	1.0m 1.5m	25 4
MRDC3015	Numbers 1 - 30 Lead Wire Connector	1.5m	30
	Webbs™		
MRW210	— Numbers 1 - 12	1.0m	
MRW215	Lead Wire	1.5m	
MRW225	Connector • O • • • • • • • • • • • • • • • • •	2.5m	_
MRW310	— Numbers 13 - 24	1.0m	  - 12
MRW315	Lead Wire Connector Connec	1.5m	
MRW325	Connector	2.5m	
MRW410	Numbers 25 - 36	1.0m	
MRW415	Lead Wire	1.5m	

## Disposable Individual Connectors

Product Number	Description	Lead Length	Electrodes Per Box
	Webbs™		
MRWDC1710	MR Webb Electrodes MR Deep Cup Electrodes	1.0m	5 12
MRW2110	Numbers 1 - 21 Lead Wire Connector	1.0m	21
RLSP516	MR Webb Electrodes MR Deep Cup Electrodes	1.5m	7 15
MRW2415	Single pouch with one coil of Numbers 1-12 and one coil of Numbers 13-24 with blue and red leadwire sleeves with 10/20 labeling	1.5-2.0m	24
MRW2515	Numbers 1 - 25 Lead Wire Connector	1.5m	25
MRW3015	Numbers 1 - 30 Lead Wire Connector	1.5m	30
And the second s	PressOn™		
MRP210	Numbers 1 - 12	1.0m	
MRP215	Lead Wire	1.5m	
MRP225	Connector • O • • • • • • • • • • • • • • • • •	2.5m	
MRP310	Numbers 13 - 24	1.0m	
MRP315	Lead Wire	1.5m	
MRP325	Connector O O O O O O O	2.5m	12
MRP410	Numbers 25 - 36	1.0m	
MRP415	Lead Wire Connector	1.5m	
MRP515	Numbers 37 - 48 1	1.5m	
MDDESE	Training to the second		
MRP525	Lead Wire Connector	2.5m	
MRPB215	Lead Wire	2.5m 1.5m	
	Lead Wire Connector		
MRPB215	Lead Wire Connector		1

### RHYTHMLINK EEG TEMPLATE

Perfect for **critical care environments**, the Rhythmlink Template is a disposable elastic template that fits over your patient's head to assist in fast and accurate placement of EEG electrodes!

The template is offered in several sizes depending on product type. Designed for universal applications, the standard template offers three varying sizes to ensure you always have the best fit for your patient. Our second option, designed for the ICU is offered in two sizes. Both varieties are labeled with common electrode placements, 16 for ICU and 21 for standard, to ensure a fast and accurate application of electrodes.

#### Disposable Rhythmlink Template

Product Number	Size	Qty		
Standard Templates				
STDTS	48-55 cm	1		
STDTM	55-60 cm	1		
STDTL	60-65 cm	1		
ICU Templates				
ICUTSM	45-55 cm	1		
ICUTML	55-65 cm	1		

### Disposable Rhythmlink Template Electrodes

Product Number	Includes	Qty
RLITN1515	Standard Subdermal Needles	15
CTGN115	Guardian Needle 13mm	24
RLIT131-1.0	Deep Cup EEG Electrodes Recording Sticky Pads	21 4
RLITD2910	Deep Cup EEG Electrodes Recording Sticky Pads	25 4



### RHYTHMLINK BRAINHEALTH HEADSET™


Rhythmlink's BrainHealth Headset is the perfect EEG companion for ER, ICU and **critical care environments.** 

Rhythmlink's BrainHealth Headset includes an application guide, pre-loaded with 21 Rhythmlink PressOn™ Electrodes. The headset is easy to apply, quick and efficient. Designed to be used by medical professionals already at bedside, meaning you get high quality EEG recordings fast!

To apply, simply place the headset on the patient. Using the predetermined locations, deploy the PressOn Electrodes - no skin preprequired - and remove the guide to record.

## Disposable Rhythmlink BrainHealth™ Headset

Produ	uct Number	Electrode Diameter	Lead Length	Includes	Q
DHP10212	21	7mm	1.5m	21 PressOn™ Electrodes	1



## ARTIFACT FREE INVISA-ELECTRODES™ FOR CT

Have you been looking for an electrode that can be left on during a CT scan that shows no artifact? Rhythmlink has the answer for you. Available in Slim  $Cup^{TM}$ , Deep  $Cup^{TM}$ , Webb<sup>TM</sup> and PressOn<sup>TM</sup> versions.

### Disposable Invisa-Electrodes™









Product Number	Description	Lead Length	Electrodes Per Box
InvisaSlim™ Cup			
CTC115		1.5m	12
CTSW2715	Slim ••••••••••••••••••••••••••••••••••••	1.5m	25 2
InvisaDeep™ Cup			
CTDC115			12
CTDC2215		1.5m	22
CTDC2615			26
CTDC2715		1.5m	27
CTDC2825		2.5m	28
CTDC3020		2.0m	30
CTDC3515		1.5m	35
CTDC4415	Bundle 1: 0	1.5m	44
InvisaWebb™			
CTW115		1.5m	12
CTW2715		1.5m	27
InvisaPressOn™			
CTP115		1.5m	5
CTPB115		1.5m	5
InvisaNeedle™ - 13	3mm		
CTN115		1.5m	
CTN125		2.5m	24
CTGN115	13mm Subdermal Needle with Bandage in Protective Hub	1.5m	

### RHYTHMLINK GUARDIAN NEEDLE®


**DID YOU KNOW?** Most needle sticks for technologists occurred during the removal of needles and during patient positioning for non-IONM personnel.

The Guardian Needle Electrode is a subdermal needle electrode which can be used in any situation where the current subdermal needles are used. Enhanced features are designed to protect the patient and medical personnel from accidental needle injury as well as delivering equivalent recording and stimulating quality.

### Disposable Guardian Safety Needle Subdermal Electrode

Product Number	Description	Lead Length	Electrodes Per Box
CTGN615	13mm Subdermal Needle with Bandage in a	1.5m	6
CTGN115	Protective Hub	1.5m	24
CTGN215	13mm Guardian Needle without Bandage	1.5m	24
CTGN121-1.5	13mm <b>Paired</b> Subdermal Needle with Bandage in a Protective Hub	1.5	10 Pairs
RLITCTGNM1.0	13mm 10/20 Guardian Needles with a Standard Medium RLI Template	1.0m	21
RLITCTGNL1.0	13mm 10/20 Guardian Needles with a Standard Large RLI Template	1.0m	21







\*Guardian Needle - not actual size, zoomed in to show detail



View our full Guardian Needle Application Video at:


Rhythmlink.com/guardian

## STICKY PAD™ SURFACE ELECTRODES

Rhythmlink's Recording Sticky Pad Surface Electrodes are disposable, pre-gelled and are perfect to use with our EEG cup electrodes for forehead recording.

### Disposable Single Recording Sticky Pad

Product Number	Size	Lead Length	Electrodes Per Box
Single Recording Sticky P	ads		
DECUS10026	-	1.0	
DECUS15026		1.5m	
DECUS25026		2.5m	80
DECUL15026	Lance [20 :: 25 mm]	1.5m	
DECUL25026	Large [20 x 25mm] ••••	2.5m	
RLSP492	Small [15 x 20mm]	1.5m	60
RLSP537	Large [20 x 25mm]	3.0m	80



### PRESSON™ ELECTRODES

Place electrodes and record data quickly with the Disposable PressOn EEG Electrode. Utilize your staff that is already present and achieve reliable, real time data to help establish the best patient care plan possible.

## Disposable PressOn™ Button Electrodes

Product Number	Description	Lead Length	Quantity
PB115 (Standard)			_
CTPB115 (CT)	••••	1.5m	כ
MRPB215 (MR/CT)	••••		12



**Disposable Standard EEG Electrodes -** our standard EEG electrodes provide exceptional recording quality and can be used for standard CT imaging.

Product Number	Description	Lead Length	#/Box
	Slim Cups™		
DAGD102600		1.0m	
DAGD152600	Shandard 10 Calana	1.5m	
DAGD202600	Standard 10 Colors	2.0m	10
DAGD252600		2.5m	
DAGD302600		3.0m	
SC1420		2.0m	14
SC2315T*		1.5m	22
SC2325		2.5m	23
SC2410		1.0m	24
SC2515T*		1.5m	25
SC2520	•••••••••••	2.0m	25
SC11026		1.0m	26
SC2615		1.5	
SC3015		1.5m	30
	Deep Cups™		
DC110		1.0m	
DC115	Shandard 10 Calana	1.5m	
DC115T*	Standard 10 Colors	1.5m	10
DC120		2.0m	
DC125		2.5m	
DC11512		1 F m	12
DC1415		- 1.5m	14
DC1520		2.0m	15
DCPSG1520	• • • • • • • • • • • • • • • • • • • •	2.0m	15
DC1615	•••••	1.5m	16
DC1715	••••••••	1.5m	17
SPDC1810	••••••••	1.0m	18
DC21151020		1.5m	21

## Disposable Standard EEG Electrodes

Product Number	Description	Lead Length	#/Box	
	Deep Cups™			
DC2215	••••••••		22	
DC2315			23	
DC23152	1 Bundle with 10/20 labeling	1.5m	23	
DC2415				
DC24153	with 10/20 labeling	1.5m		
DC24151020	with 10/20 labeling	1.5m	24	
DC241510202	with 10/20 labeling	1.5m		
DC2510		1.0m		
DC2515	with 10/20 labeling	1.5m		
DC2520		2.0m	25	
DC2520T*		2.0m		
DC25101020		1.0m		
DC2515201020		1.5m 2.0m	23 2	
DC11526		1.5m		
DC11526T*		1.5m		
DC2615	with 10/20 labeling	1.5m	26	
DC2620		2.0m		
DC2615201020		1.5m 2.0m	24 2	
DC2710		1.0m		
DC22710		1.0m		
DC22715		1.5m		
DC2715		1.5m	27	
DC27151020	with 10/20 labeling	1.5m		
DC2720		2.0m		

## Disposable Standard EEG Electrodes

Product Number	Description	Lead Length	#/Box
	Deep Cups™		
DC28152	2 Bundles of 14 electrodes with 10/20 labeling	1.5m	28
DC291520		1.5m 2.0m	27 2
DC2910		1.0m	29
DC3015		1.5m	30
	Webbs™		
WEBB102900		1.0m	
WEBB152900	Standard 10 Colors	1.5m	10
WEBB202900		2.0m	
WEBB252900		2.5m	
WEBB1420		2.0m	14
WEBB1910		1.0m	19
WEBB2315		1.5m	
WEBB22315		1.5m	_ 23
WEBB2310C	with Easy Pull Connectors	1.0m	
WEBB2610		1.0m	26
WEBB2615		1.5m	20
WEBB2710		1.0m	
WEBB2715		1.5m	27
WEBB2715T*		1.5m	
	Small Webb™		
SWEBB1215		1.5m	12

## Disposable Standard EEG Electrodes

Product Number	Description	Lead Length	#/Box
сомво			
DAGDWEBB1215	Slim Cups™ ●●●●●●●● Webbs™ ●●	1.5m	10 2
DCW1915	Deep Cups™ ○●●●●●●● Webbs ●●●○○●●● with 10/20 labeling	1.5m	10 9
RLSP517	Deep Cups ••••••••••••••••••••••••••••••••••••	1.5m	15 7
DCDECUL22251530	Deep Cups ●○●●●●●●●●● (3 pouches)	2.5m 1.5m & 3.0m	10 12
DAGDWEBB2315S	Slim Cups & Webbs, 3 Bundles, 10/20 with Custom Colors	1.5m	23
DAGDWEBB2415	Slim Cups ••••••••••••••••••••••••••••••••••••	1.5m	22 2
DAGDWEBB2615	Slim Cups ••••••••••••••••••••••••••••••••••••	1.5m	24 2
DCW2615	Deep Cups ••••••••••••••••••••••••••••••••••••	1.5m	18 8
DCDECUG261525	Deep Cups ●●●○○○●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●	1.5m 2.5m	25 1
DCDECUL271015	Deep Cups ••••••••••••••••••••••••••••••••••••	1.0m 1.5m	23 4
RLSP511	Deep Cups ●●●○○○●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●	1.0m 1.5m	23 4
DCW2715	Deep Cups O	1.5m	16 11
DCDECUL2815	Deep Cups ●●●○○○●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●	1.5m	24 4
DAGDECUL2915	Slim Cups ●●●○○○●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●	1.5m 2.5m	25 4
DCDECUL3015	Deep Cups ●●●○○●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●●	1.5m	26 4

Slim Cup, Deep Cup, Webb and Sticky Pads are trademarks of Rhythmlink International, LLC Disposable Webbed EEG Electrodes US Patent No. D 644,738 and European Patent Registration Number 001893751-0001. Webb is a trademark of Rhythmlink International, LLC.




## RHYTHMLINK CUSTOM ELECTRODE OPTIONS

Need something you don't see listed in our catalog? We can make it happen! Rhythmlink offers services to our customers including custom products, bundled packaging and private labeling.

#### **CUSTOM PRODUCTS - Have an idea**

for a new product that you'd like to see? Rhythmlink has an accomplished product design, development and manufacturing team that offer years of experience for new products. No matter where you are in the design process, Rhythmlink can help you get there, from concept to completed, packaged product.



#### PRIVATE LABELING - Select from


a variety of options to have our product privately labeled for your facility and brand. Rhythmlink can privately label an existing product or create a new packaged product.



#### **BUNDLED PACKAGING** - Rhythmlink

can fulfill your need for personalized packaging! Whether it's more or less electrodes per pouch, multiple products in a box or single color leadwire, we can develop a solution to answer your request. Take advantage of existing product options or send in your own

Ready to make your own truly custom product?
Contact our sales team at 866.633.3754 or email us at sales@rhythmlink.com



### Disposable Detachable Monopolar Needle Electrodes for EMG

Disposable sterile detachable monopolar needle electrodes for EMG feature a PTFE coated stainless steel needle. Each package includes two 251-24TP reusable 0.61 meter (24") flexible leadwires ending with a touch proof connector.

Product Number	Description	Needle Length	Electrodes Per Box
110-725	0.35mm Diameter (27g) - Green	25mm	
110-637	0.40mm Diameter (26g) - Pink	37mm	
110-737	0.35mm Diameter (27g) - Blue	37mm	35
110-744	0.35mm Diameter (27g) - Lavender	44mm	
110-650	0.40mm Diameter (26g) - White	50mm	
251-24TP	Reusable 24" Touch Proof Leadwire		1



#### Disposable Monopolar Needle Electrodes for EMG

Disposable sterile PTFE coated stainless steel monopolar needle electrodes for EMG have a 0.61 meter (24") flexible PVC insulated leadwire ending with a standard touch proof connector.

Product Number	Description	Needle Length	Electrodes Per Box
111-725-24TP	0.35mm Diameter (27g) - Green	25mm	
111-637-24TP	0.40mm Diameter (26g) - Pink	37mm	
111-737-24TP	0.35mm Diameter (27g) - Blue	37mm	50
111-837-24TP	0.32mm Diameter (28g) - Blue	37mm	50
111-744-24TP	0.35mm Diameter (27g) - Lavender	44mm	
111-650-24TP	0.40mm Diameter (26g) - White	50mm	
111-575-24TP	0.45mm Diameter (25g) - Gray	75mm	25



## Disposable Monopolar Needle Electrodes with Comfort Engineered Hubs for EMG

Disposable sterile PTFE coated stainless steel monopolar needle electrodes feature a comfort engineered hub for a better grip. The super-flexible PVC insulated leadwire is 0.74 meter (29") and is color-coded to indicate the needle size gauge. Connectors are standard touch proof connectors.

Product Number	Description	Needle Length	Electrodes Per Box
115-820-29TP	0.32mm Diameter (28g) - Red	20mm	
115-725-29TP	0.35mm Diameter (27g) - Yellow	25mm	
115-637-29TP	0.40mm Diameter (26g) - White	37mm	48
115-737-29TP	0.35mm Diameter (27g) - Green	37mm	
115-650-29TP	0.40mm Diameter (26g) - Blue	50mm	
115-575-29TP	0.45mm Diameter (25g) - Orange	75mm	20



## **EMG NEEDLE ELECTRODES**

### NEW - Rhythmink's Disposable Detachable Concentric Needle Electrodes for EMG

Rhythmlink's quality and consistent availability are now available for EMG/NCV users looking for a concentric needle!

Product Number	Description	Needle Length	Electrodes Per Box
EMGCNR25	0.30mm Diameter (30g) - Red	25mm	
EMGCNY25	0.40mm Diameter (27g) - Yellow	25mm	
EMGCNG37	0.45mm Diameter (26g) - Dark Green	37mm	
EMGCNB50	0.45mm Diameter (26g) - Dark Blue	50mm	20
EMGCNV75	0.60mm Diameter (23g) - Purple	75mm	
EMGCNCOMBO	Combo Pack that Contains 4 of Each Concentric Needle Sizes	Various	



### **NEW** - Rhythmlink's Reusable Cables for Concentric Needle Electrodes

Rhythmlink's reusable cable for our concentric needle electrodes is a perfect fit.

Product Number	Description	Lead Length	Electrodes Per Box
EMGCN-CBL15	5-pole DIN Connector	1.5m	1



## **EMG NEEDLE ELECTRODES**

### Disposable Injectable Monopolar Needle Electrodes for EMG

Disposable sterile PTFE coated stainless steel injectable monopolar needle electrodes combine EMG with related drug therapy injections such as Botulinum toxin. They have an attached 0.61 meter (24") leadwire made of super-flexible PVC insulated wire ending with a standard touch proof connector. Choose box of 10 or box of 25.

Product Number	Description	Needle Length	Electrodes Per Box
242-025-24TP	0.30mm Diameter (30g) - Blue		10
242-025-24TP-25	0.30mm Diameter (30g) - Blue	25mm	25
242-725-24TP	0.41mm Diameter (27g) - Green	25mm	10
242-725-24TP-25	0.41mm Diameter (27g) - Green		25
242-637-24TP	0.46mm Diameter (26g) - Pink	- 37mm	10
242-637-24TP-25	0.46mm Diameter (26g) - Pink		25
242-550-24TP	0.51mm Diameter (25g) - White	F.O	10
242-550-24TP-25	0.51mm Diameter (25g) - White	50mm	25
242-375-24TP	0.64mm Diameter (23g) - Gray	75mm	10
242-3100-24TP	0.64mm Diameter (23g) - Natural	100mm	10
242-3125-24TP	0.64mm Diameter (23g) - Natural	125mm	10



### Disposable Fine Wire Electrodes for EMG

Disposable sterile fine wire electrodes have two 200mm (8") long, 44ga (0.002" diameter) stainless steel wires with enamel insulation. Tip exposure on each wire is approximately 2mm. The wires are preloaded into a 30mm, 50mm or 75mm needle/hub assembly for easy insertion.

Product Number	Description	Lead Length	Electrodes Per Box
221-28SS-730	0.40mm (27g)	30mm	20
221-28SS-550	0.51mm (25g)	50mm	20
221-28SS-375	0.64mm (23g)	75mm	10





## **EMG/NCV SURFACE ELECTRODES**

### Reusable Ring Electrodes for NCV Studies

Reusable ring electrodes have heavy gauge stainless steel springs with easy grip neoprene slides and heavy duty wire supports. Available with 0.61 meter (24") PVC insulated leadwire or 0.91 (36") meter PVC insulated shielded leadwire both ending with standard touch proof connectors. Also available with Slide Lock, which helps to hold the ring closed around the patient's finger without slipping.

Product Number	Description	Lead Length	Electrodes Per Box
293-2-24TP	Red & Black	0.61m	
293-2-48TP	Shielded Red & Black	1.2m	1
293-2-36STP	Red & Black	0.91m	
293-2SL-24TP	Red & Black w/Slide	0.61m	1
293-2SL-48TP	Reu & Diack W/Silue	1.2m	





## **NEW** - Rhythmlink Disposable NCV Sticky Pad Surface Electrodes with Leadwire

Our disposable NCV Sticky Pad Surface Electrodes are cleared for recording and available in a variety of shapes and sizes, all with adhesive hydrogel with keeps the electrodes in place and enhances recordings.

Product Number	Description	Lead Length	Electrodes Per Box
NCVD80L	20mm Disc Electrodes	1.5m	80
NCVT80L	20x25mm Tab Electrodes	1.0m	80
NCVR40L	8x106mm Ring Electrodes	0.5m	40
NCVG40L - 1.0	40x50mm Ground Electrodes	1.0m	40
NCVG40L - 2.0	40x50mm Ground Electrodes	2.0m	40
NCVKIT60L	2 Discs and 1 Ground Electrode Kit	1.0m	60



### **EMG/NCV SURFACE ELECTRODES**

### **NEW** - Rhythmlink Disposable NCV Sticky Pad Surface Electrodes without Leadwire

These disposable NCV Sticky Pads are the same quality as our other NCV pads but without leadwire. These Sticky Pad Electrodes without leadwire can save you time by not having to disconnect at the amplifier and make it easier to adjust placement as needed.

Product Number	Description	Electrodes Per Box
NCVB100	12x18mm with 25mm between Disc Areas	100
NCVR100	8x95mm Ring Electrodes	100
NCVT100	22x32mm Tab Electrodes	100
NCVG50	40x50mm Ground Electrodes	50
NCVKIT15	In each pouch: 2 Paired Rings, 2 Bars, 2 Tabs In each box: 15 pouches	90
256-2A1J-48STP	Alligator Clip to Touch Proof (Female) Gray	
256-A-24BTP	Alligator Clip - 24" Black Leadwire	
256-A-24GTP	Alligator Clip - 24" Green Leadwire	
256-A-24RTP	Alligator Clip - 24" Red Leadwire	
256-A-36BTP	Alligator Clip - 36" Black Leadwire	1 Clin
256-A-36GTP	Alligator Clip - 36" Green Leadwire	1 Clip
256-A-36RTP	Alligator Clip - 36" Red Leadwire	
256-A-48BTP	Alligator Clip - 48" Black Leadwire	
256-A-48GTP	Alligator Clip - 48" Green Leadwire	
256-A-48RTP	Alligator Clip - 48" Red Leadwire	



## **EMG/NCV SURFACE ELECTRODES**

#### Reusable Bar Electrodes

Reusable bar electrodes are available with concave 9 mm discs or convex discs. Spacing between discs is 30 mm. They are available in a 0.61 meter (24") or 1.2 meter (48") PVC insulated red and black twisted leadwire ending with standard touch proof connectors. A concave version is available with a 0.91 meter (36") PVC insulated shielded leadwire. The bar is made of clear polycarbonate.

Product Number	Description	Lead Length	Electrodes Per Box
277-930-24TP	Red & Black Concave	0.61m	
277-930-48TP	Red & Black Concave	1.2m	1
277-930-36STP	Shielded Red & Black Concave	0.91m	1
279-930-24TP	Red & Black Convex	0.61m	





### ADAPTERS AND EXTENSION CABLES


## Stacking Touch Proof Jumper

Need to manage multiple ground connections, or convert your equipment from a 5 pin DIN connector to standard touch proof? We have an adaptor for that - and more.

Product Number	Description	Color	Quantity
255-DF-8STP	5 pin Jack to Touch Proof (Female)	Grey	
255-DM-8STP	Touch Proof to 5 pin DIN Plug (Male)	Grey	1
256-2A1J-48STP	Alligator Clips to Touch Proof (Female)	Grey	1
251-24TP	Adapter cable for 110 series electrodes	Black	



37





256-2AIJ-48STP 255-DF-8STP 255-DM-8STP

## **EXTENSION CABLES**

#### **Extension Cables**

Single extension cables allow you to extend the leadwire length of a standard EMG electrode. It is a 0.61 meter (24") PVC insulated leadwire ending with a standard touch proof connector. Other lengths available upon request.

Paired cables allow you to extend the leadwire length of a standard EMG electrode. It is available in 0.61 meter (24") or 1.2 meter (48") PVC insulated red and black twisted leadwire.

Product Number	Description	Leadwire	Quantity
Single			
253-24BTP	Single - Black		
253-24RTP	Single - Red 0.61m		1
253-24GTP	Single - Green		
Paired			
254-24TP	Twisted - Red & Black	0.61m	1
254-48TP	Twisted - Red & Black	1.2m	]






## PASTES & GELS

#### **Gels & Pastes**

Product Number	Description	Quantity			
<b>AQUASONIC 100 Ultra</b>	AQUASONIC 100 Ultrasound Transmission Gel				
512-8	8.5 oz Bottle	1			
514-5	5 oz Bottle Cream	1			
SPECTRA 360 Electro	de Gel				
515-2	2 oz Tube	1			
515-8	8.5 oz Tube	1			
Lectron II Multi-purpos	se Electrode Conductivity Gel				
516-8	8 oz Tube	1			
TENSIVE Conductive Adesive Gel					
530-2	2 oz Tube	1			






## STIMULATING PROBES

Rhythmlink's Stimulating Probes are made from stainless steel with handles specifically designed for a surgeons needs. Each probe has been designed for specific procedures in mind.

### Disposable Stimulating Probes

Product Number	Probe Length	Probe Diameter	Tip Diameter	Lead Length	Quantity
Standard Ball Tip Stimulating Probe					
RLBTP101-2.5	100	1.5mm	3mm	2.5	1
RLBTP100-2.5	100mm	IIIIIIC.I	311111	2.5m	10
Tapered Ball Tip Stim	ulating Probe				
RLBTP151-2.5	150mm				1
RLBTP150-2.5		10F 2 Fmm	2.3mm	2.Em	10
RLBTP201-2.5	200	1.85-2.5mm 2	2.311111	2.5m	1
RLBTP200-2.5	200mm				10
Standard Monopolar S	Stimulating Probe				
RLMSP051-2.5	100mm	1.5mm	0.75mm	2.Em	1
RLMSP050-2.5	TOOMIN	ווווווכ,ו	0.7511111	2.5m	10
Extended Monopolar S	Stimulating Probe				
RLMSP101-2.5	160mm	3.5mm	1.6mm	2.5m	1
RLMSP100-2.5	100111111	3.311111	1.0111111	2.5111	5
Monopolar Stimulating Probe with Removable Handle					
RLSP400	200mm	1.5mm	1.5mm	2.5m	1

These products are not a part of Rhythmlink's sample program.



### RHYTHMLINK SUBDERMAL NEEDLES



**Single Subdermal Needles** - Quality recording and stimulating can only occur when you're using a quality product. Our single straight disposable needles are available in the following lengths:

- 7mm
- 13mm
- 19mm
- 22mm

We also have single bent subdermal needles.


**Parallel Paired Subdermal Needles** - flexibility to separate the leadwire as much or as little as needed, our paired needles are available in:

- 7mm
- 13mm
- 19mm
- 22mm


**Corkscrew Subdermal Needles** - designed to stay securely in place during application. Our disposable corkscrew needles offer an easy to grip hub and are packaged in individual sterile pouches.

**Guardian Needle**® - designed with enhanced features to protect the patient and medical personnel from accidental needle injury as well as delivering equivalent recording and stimulating quality.

**Twisted Subdermal Needles** - multiple needle electrodes offered in one, convenient easy open pouch with twisted wires for better organization. Available as straight needles in twisted pairs, 5-Twist and 6-Twist or corkscrews in pairs or 4-Twist.







## **SUBDERMAL NEEDLES**

Rhythmlink's Disposable Subdermal Needle Electrodes offer the quality you expect and deliver the patient comfort that you need. Made of high-tensile strength stainless steel and cleared for both stimulating and recording. Select from a variety of needle lengths and styles, leadwire colors and lengths, singles or pairs.

### Disposable Single Needle Electrodes

Product Number	Description	Lead Length	Electrodes Per Box	
Single 7mm (Short) Needles				
RLSND107-1.5	6-Color Group 1 ●○●●●●	1.5m	24	
RLSND107-2.5	8-color Group i	2.5m	24	
RLSND109-1.5	6-Color Group 2	1.5m	- 24	
RLSND109-2.5	8-Color Group 2	2.5m	24	
RLSND108-2.5	12-Color	2.5m	24	
Single 13mm Needles*				
RLSND314-2.5	Multipack with Custom Colors	2.5m	14	
RLSP351	Color Crown 1	1.5m	25	
RLSP450	5-Color Group 1 🔾 🗨 🗨 🗨	2.5m	20	
RLSP350	5-Color Group 2 •••	1.5m	25	
RLSND110-1.0		1.0m		
RLSND110-1.5	6-Color Group 1 ●○●●●●	1.5m	24	
RLSND110-2.5		2.5m		
RLSND112-2.5	6-Color Group 2	2.5m	24	
RLSND111-1.0		1.0m	24	
RLSND111-1.5	12-Color	1.5m		
RLSND111-2.5		2.5m		
RLSND111-2.5C	Color Group 3 • • • • • • • • • • • • • • • • • •	2.5m	24	
* 13mm Needles are also	available in individual color boxes, in 1.5 $\&$ 2.5m lengt	h in quantities of 24	electrodes.	
Single 19mm Needles				
RLSND113-1.5	6-Color Group 1 ●○●●●●	1.5m	24	
RLSND113-2.5	8-color Group i	2.5m	24	
RLSND114-1.5	12-Color	1.5m	24	
RLSND114-2.5	12-C0101	2.5m	L <sup>4</sup>	
Single 22mm Needles				
RLSND170-1.5	6-Color Group 1 ●○●●●●	1.5m	- 24	
RLSND170-2.5	O Color Group i	2.5m	24	

## SUBDERMAL NEEDLES

## **Disposable Paired Needle Electrodes**

Product Number	Description	Lead Length	Electrodes Per Box
Paired 7mm (Short) Need	les		
RLSND125-1.5		1.5m	10
RLSND125-2.5	Color Group 1 • • • • • • • • • • • • • • • • • •	2.5m	10
RLSND126-1.5		1.5m	10
RLSND126-2.5	Color Group 2 • O • O • O	2.5m	10
Paired 13mm Needles*			
RLSND121-1.0		1.0m	
RLSND121-1.5		1.5m	10
RLSND121-2.0	Color Group 1 • • • • • •	2.0m	10
RLSND121-2.5		2.5m	
RLSP310		1.5m	20
RLSND122-1.0		1.0m	
RLSND122-1.5	Color Group 2 • O • • • • • • • • • • • • • • • • •	1.5m	10
RLSND122-2.5		2.5m	
RLSP503	Color Group 4 • O • O • O • O • O • O • O • O • O •	2.5m	12
RLSP531C	Easy pull touchproof connectors	2.5m	12
RLSP290	13mm Paired Needle Electrodes 13mm Single Needle Electrode Ground Sticky Pad™ Electrode	1.5m 2.5m 2.5m	8 1 1
RLSND116P-1.5	Color Group 1 • • • • • • • • • • • • • • • • • •	1.5m	10

## Disposable Paired Needle Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
Paired 19mm Needles			
RLSND123-1.5	Calar Cray 1	1.5m	10
RLSND123-2.5	Color Group 1 • • • • • • • • • • • • • • • • • •	2.5m	10
RLSND124-1.5	Color Crown 2	1.5m	10
RLSND124-2.5	Color Group 2 • • • • •	2.5m	10
Paired 22mm Needles			
RLSND173-1.5	Calar Casus 1	1.5m	10
RLSND173-2.5	Color Group 1 • • • • • •	2.5m	10
RLSND174-1.5	Color Cours 2	1.5m	10
RLSND174-2.5	Color Group 2 • • • • • •	2.5m	10
RLSP504	Color Group 3 • • • • •	2.5m	8

## Disposable Twisted Paired Needle Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
Twisted Paired 13mm Nee	dles		
RLSND131-2.5	Color Group 1	2.5m	10 pairs
RLSND132-2.5	Color Group 2	2.5m	10 pairs
RLSP430	Color Group 3 • • • • • • • • • • • • • • • • • •	1.5m	12 pairs
TSN2325	lor Group 3 • • • • • • • 2	2.5m	12 pairs
TSN2320	•••••	2.0m	12 pairs

## **SUBDERMAL NEEDLES**

### Disposable 5 & 6 Twisted Needle Electrodes

Product Number		Description	Lead Length	Set of Twists Per Box
RLSP484	E Twist		1.5m	4
RLSP513	5-Twist	t	2.5m	4
RLSP483	C Turist		1.5m	2
RLSP512	6-Twist	• • • •	2.5m	3
RLSND118-1.5	6-Twist with Be	ent Needles	1.5m	3

### Disposable Bent Needle Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
SNB1710	Bundle 1 ●○●●●●●	1.0m	17
SINDITIO	Bundle 2 • O • • • • •	1.0111	17
RLSND116-1.5		1.5m	24
RLSND116-2.5	6-Color Group 1	2.5m	24
RLSND117-1.5	12-Color	1.5m	24

### Disposable Corkscrew Needle Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
RLSP486	4-color Single	1.5m	12
RLSND140-1.0		1.0m	
RLSND140-1.5	6-color Single	1.5m	12
RLSND140-2.5		2.5m	
TCN2115	2-Twist Corkscrew ••	15	12
TCN4115	4-Twist Corkscrew ●○●●	1.5m	12
TCN2125	2-Twist Corkscrew ••	2.5m	12
TCN4125	4-Twist Corkscrew ●○●●	2.5m	12
TCN5115	5-Twist Corkscrew ••••	1.5m	15
TCN5125	5-Twist Corkscrew ••••	2.5m	15

### RHYTHMLINK GUARDIAN NEEDLE®

The Guardian Needle Electrode is a subdermal needle electrode which can be used in any situation where the current subdermal needles are used. Enhanced features are designed to protect the patient and medical personnel from accidental needle injury as well as delivering equivalent recording and stimulating quality.

### Disposable Guardian Safety Needle Subdermal Electrode

Product Number	Description	Lead Length	Electrodes Per Box
CTGN615	13mm Subdermal Needle with Bandage in a	1.5m	6
CTGN115	Protective Hub	1.5m	24
CTGN215	13mm Guardian Needle without Bandage	1.5m	24
CTGN121-1.5	13mm Paired Subdermal Needle with Bandage in a Protective Hub	1.5	10 Pairs
RLITCTGNM1.0	13mm 10/20 Guardian Needles with a Standard Medium RLI Template	1.0m	21
RLITCTGNL1.0	13mm 10/20 Guardian Needles with a Standard Large RLI Template	1.0m	21

Guardian Needle is a trademark of Rhythmlink International LLC.







\*Guardian Needle - not actual size, zoomed in to show



View our full Guardian Needle Application Video at: Rhythmlink.com/guardian

### MR CONDITIONAL STICKY PAD™ SURFACE ELECTRODES

MR Conditional Sticky Pad<sup>TM</sup> Surface Electrodes are the same high-quality surface electrodes you've come to expect from Rhythmlink, now made with improved leadwire for enhanced CT Compatibility, and FDA Clearance for 1.5 and 3T MRI. Disposable MR Conditional Sticky Pads are available in two sizes and specially formulated for Stimulating, Recording or Grounding.

### Disposable MR Conditional Sticky Pad Surface Electrodes

Product Number	Description	Lead Length	Electrodes Per Box	
Single Stimulating Sticky	Pads			
MRSPSS8015	Small [15 x 20mm]   ••••	1.5m		
MRSPSS8025	Small [15 x 20mm]	2.5m	80	
MRSPSL8015	Large [20 x 25mm]	1.5m	00	
MRSPSL8025	Large [20 x 25mm] ••••	2.5m		
Single Recording Sticky P	ads			
MRSPRS4025	Small [15x20mm]	2.5m	40	
MRSPRL4015	Large [20 x 25mm] ●	1.5m	40	
MRSPRS8015	Small [15 x 20mm]	1.5m		
MRSPRS8025	Small [15 x 20mm] ••••	2.5m	80	
MRSPRL8015	Large [20 x 25mm]	1.5m		
MRSPRL8025	Large [20 x 25mm] ••••	2.5m	1	
Ground Sticky Pads				
MRSPG4015	45 25	1.5m	40	
MRSPG4025	45 x 35mm	2.5m	40	
Sample Pack				
MRSPSTMRECG1525	2 of each Sticky Pad Electrodes (Ground, Stimulating, Recording) in both Small and Large	1.5m & 2.5m	18	



## STICKY PAD™ SURFACE ELECTRODES

Rhythmlink's Sticky Pad Surface Electrodes are disposable, pre-gelled and formulated for recording, stimulation or grounding.

### Disposable Standard Sticky Pad Surface Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
Single Stimulating Sticky	Pads		
STCUS15026		1.5m	
STCUS25026	Small [15 x 20mm]	2.5m	
STCUS30026		3.0m	80
STCUL15026	Large [20 x 25mm]	1.5m	
STCUL25026	Large [20 x 25mm] ••••	2.5m	
Parallel Pair Stimulating S	Sticky Pads		
PSTCUS30026	Small [15 x 20mm]	3.0m	20 pairs
PSTCUS15026	Small [15 x 20mm]	1.5m	
PSTCUS25026	Small [15 x 20mm] •• ••	2.5m	40 pairs
PSTCUL15026	Large [20 x 25mm] •• ••	1.5m	40 pairs
PSTCUL25026	Large [20 x 25mm] •• ••	2.5m	
Single Recording Sticky P	ads		
DECUS10026		1.0m	80
DECUS15026	Small [15 x 20mm]	1.5m	
DECUS25026		2.5m	
DECUL15026	Large [20 x 25mm]	1.5m	
DECUL25026	Large [20 x 25mm] ••••	2.5m	
RLSP537	Large [20x25mm]	3.0m	80
RLSP492	Small [15 x 20mm]	1.5m	60
RLSP536	Large [20 x 25mm] •••	3.0m	60
Parallel Pair Recording St	icky Pads		
PDECUS15026	Small [15 x 20mm]	1.5m	
PDECUS25026	Small [15 x 20mm] •• ••	2.5m	40 pairs
PDECUL15026	Large [20 x 25mm]	1.5m	40 pairs
PDECUL25026	Large [20 x 25mm] •• ••	2.5m	
RLSP482	Small [15 x 20mm]	3.0m	20 pairs
Ground Sticky Pads			
DECUG10026		1.0m	
DECUG15026	45 x 35mm ●	1.5m	40
DECUG25026		2.5m	40
RLSPGSP120	40x50mm • 2.0m		
NCV115	40 Small Recording Sticky Pads 20 Ground Sticky Pads	1.5m	60
		1	

### **ALLIGATOR CLIPS**

Rhythmlink's Disposable Alligator Clips are 100% disposable, sterile and intended for use in the recording of intraoperative neuromonitoring.

### Disposable Alligator Clip

Product Number	Description	Lead Length	Quantity
RLSP487	Small Clip	2.5m	12



### ET TUBE ELECTRODES

Designed to easily fit any ET tube, the Dragonfly® Laryngeal Electrode is designed to accurately monitor the Xth Nerve/RLN monitoring. With unique stripes for easy placement, the Dragonfly is compatible with most recording devices. The Disposable Cobra® Monitoring ET Tube is constructed of PVC for quality performance and provides monitoring of the RLN using a standard ET Tube. The Cobra Electrode's recording surface is flush with the ET tube for smooth airway contact.

### Disposable ET Tube Electrodes

Product Number	Description	ET Tube Size	Lead Length	Quantity		
Disposable Dragonfly Elec	Disposable Dragonfly Electrodes					
LSE500MS-5	Single Channel	6.0 - 7.0	- 0.8m	_		
LSE500M-5	Single Channel	7.5 - 10.0	0.6111	5		
LSE500DCS-5	2 Channel	6.0 - 7.0	2.0	5		
LSE500DCL-5	2-Channel	8.0 - 9.5	- 2.0m			
Disposable Cobra Monitor	Disposable Cobra Monitoring ET Tube					
LTE7003PS-5		6.0				
LTE7003PM-5	3-Plate EMG - Endotracheal Tube	7.0	2.0m	5		
LTE7003PL-5	- Lildottachedi Tube	8.0				

This product is not part of Rhythmlink's sample program.

 ${\bf Dragonfly\ and\ Cobra\ are\ registered\ trademarks\ of\ Neurovision\ Medical\ Products.}$ 





#### SIGHTSAVER™ FLASH VISUAL EVOKED POTENTIAL STIMULATOR

The SightSaver™ is a FDA approved device to facilitate the monitoring of visual pathways, and prevent vision loss during surgery. It consists of a disposable adhesive foam padding shaped to the contours of the periocular region attached to a printed circuit board with specially selected high intensity light emitting diodes (LED). The FDA approved SightSaverMini™ is a more streamlined version of the standard SightSaver™ visor. A reusable cable interface is compatible with standard clinical neurophysiology systems used for triggering an LED goggle device.

#### The SightSaver

Product Number	Compatibility	Use
SightSaver Visor		
ATv001	See Cables Below	Disposable
SightSaver Visor Cables		
ATcc002	Cadwell w/ID Chip	
ATcne001	Natus Eneavor	Reusable
ATcm001	Medtronic NIM Eclipse	Reusable
ATcnk002	Nihon Kohden	
SightSaver Mini		
ATmv001 (one pair)	See Cables Below	Disposable
SightSaver Mini Cables		
ATmvc001		Reusable

The SightSaverVisor and SightSaverMini are not part of Rhythmlink's Sample Program.

SightSaver is a trademark of Anschel Technology Inc.

### **GELS & PASTES**

A must-have for all procedures using surface electrodes, NuPrep® Gel is a mild abrasive that strips away dead skin and moistens the cornium skin layer, resulting in improved conductivity and lower impedances. Ten20® Conductive Paste is a washable, non-drying adhesive that's perfect for applying Rhythmlink's EEG Electrodes. Ten20 can also be used with electrodes applied with collodion giving you the advantage of not having to re-gel the electrode once it's in place.

#### Gels & Pastes

Product Number	Size	Quantity		
Nuprep Gel				
10-30	4 oz	3 Tubes		
10-61	25g	6 Tubes		
Ten20 Conductive Paste				
10-20-1	Single Use	24 Pack		
10-20-4	4 oz	3 Jars		
10-20-4T	4 oz	3 Tubes		
10-20-8	8 oz	3 Jars		

Rhythmlink's MR Conditional\*/CT Disposable Electrodes are only approved for use with Weaver Ten20 Conductive Paste.

This product is not part of Rhythmlink's sample program.

Ten20 and Nuprep are registered trademarks of Weaver and Company.



<sup>\*</sup>Patent Pending

# PRODUCT LISTING BY PART NUMBER

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
10-20-1	50	CTB115	25	DCDECUL3015	29
10-30	50	CTC115	23	DCW1915	29
10-61	50	CTDC115	23	DCW2715	29
10-20-4	50	CTDC2215	23	DHP102121	22
10-20-4T 10-20-8	50 50	CTDC2615	23 23	EMGCNR25	33 33
110-637	32	CTDC2715	23	EMGCNY25	33
110-650	32	CTDC2825 CTDC3020	23	EMGCNG37 EMGCNB50	33
110-650	32	CTDC3525 CTDC3515	23	EMGCNV75	33
110-725	32	CTDC4315	23	EMGCN 75 EMGCN-CBL15	33
110-744	32	CTGN615	24, 46	EMGCNCOMBO	33
111-575-24TP	32	CTGN015 CTGN115	24, 46	ICUTML	22
111-637-24TP	32	CTGN215	24, 46	ICUTSM	22
111-650-24TP	32	CTGN121-1.5	24, 46	LSE500DCS-5	49
111-725-24TP	32	CTN115	23	LSE500DCL-5	49
111-737-24TP	32	CTN125	23	LSE500M-5	49
111-744-24TP	32	CTSW2715	23	LSE500MS-5	49
111-837-24TP	32	CTP115	23	LTE7003PS-5	49
115-575-29TP	32	CTPB115	23	LTE7003PM-5	49
115-637-29TP	32	CTW115	23	LTE7003PL-5	49
115-650-29TP	32	CTW2715	23	MRC210	19
115-725-29TP	32	D64-551	33	MRC215	19
115-737-29TP	32	D64-851	33	MRC225	19
115-820-29TP	32	DAGDECUL2915	29	MRC310	19
221-28SS-375	34	DAGD102600	26	MRC315	19
221-28SS-550	34	DAGD152600	26	MRC325	19
221-28SS-730	34	DAGD202600	26	MRC410	19
242-025-24TP 242-025-24TP-25	34	DAGD252600	26	MRC415	19
242-025-241P-25 242-375-24TP	34 34	DAGD302600 DAGDWEBB1215	26 29	MRC425 MRC510	19 19
242-575-24TP 242-550-24TP	34	DAGDWEBBI215 DAGDWEBB2315S	29	MRC510 MRC515	19
242-550-24TP-25	34	DAGDWEBB23153	29	MRC525	19
242-637-24TP	34	DAGDWEBB2615	29	MRC3010	19
242-637-24TP-25	34	DCDECUL22251530	29	MRDC210	19
242-725-24TP	34	DCPSG1520	26	MRDC215	19
242-725-24TP-25	34	DCW2615	29	MRDC225	19
242-3100-24TP	34	DC110	26	MRDC310	19
242-3125-24TP	34	DC115	26	MRDC315	19
251-24TP	32, 37	DC115T	26	MRDC325	19
253-24BTP	38	DC11512	26	MRDC410	19
253-24GTP	38	DC11526	27	MRDC415	19
253-24RTP	38	DC11526T	27	MRDC515	19
254-24TP	38	DC1415	26	MRDC2015	19
254-48TP	38	DC120	26	MRDC2215	20
255-DF-8STP	37	DC125	26	MRDC2415	20
255-DM-8STP	37	DC1615	26	MRDC2615	20
256-2AIJ-48STP	36, 37	DC1520	26	MDCD2710	20 20
256-A-24BTP 256-A-24GTP	36 36	DC1715 DC2215	26 26	MRDC2910 MRDC2915	20
256-A-24RTP	36	DC22710	27	MRDC3015	20
256-A-36BTP	36	DC22715	27	MRLL1	21
256-A-36GTP	36	DC23152	27	MRLL24	21
256-A-36RTP	36	DC2415	27	MRP210	21
256-A-48BTP	36	DC24153	27	MRP215	21
256-A-48GTP	36	DC24151020	27	MRP225	21
256-A-48RTP	36	DC241510202	27	MRP310	21
277-930-24TP	37	DC2510	27	MRP315	21
277-930-48TP	37	DC2515	27	MRP325	21
277-930-36STP	37	DC2520	27	MRP410	21
279-930-24TP	37	DC2520T	27	MRP415	21
293-2-24TP	35	DC25101020	27	MRP515	21
293-2-48TP	35	DC2515201020	27	MRP525	21
293-2-36STP	35	DC2615	27	MRPB215	21
293-2SL-24TP	35	DC2620	27	MRSPG4015	18, 47
293-2SL-48TP	35 38	DC2615201020	27 27	MRSPG4025	18, 47
512-8 514-5	38	DC2710 DC2715	27	MRSPRS4025 MRSPRS8015	18, 47 18, 47
515-2	38	DC27151020	27	MRSPRS8025	18, 47
515-8	38	DC2720	27	MRSPRL4015	18, 47
516-8	38	DC28152	28	MRSPRL8015	18, 47
530-2	38	DC2910	28	MRSPRL8025	18, 47
ATcc002	50	DC3015	28	MRSPSS8015	18, 47
ATcm001	50	DECUG10026	48	MRSPSS8025	18, 47
ATcne001	50	DECUG15026	48	MRSPSL8015	18, 47
ATcnk002	50	DECUG25026	48	MRSPSL8025	18, 47
ATmv001	50	DECUS10026	25, 48	MRQD10810	8
ATmvc001	50	DECUS15026	25, 48	MRQD2060710	8
ATv001	50	DECUS25026	25, 48	MRQD2070615	8
B50600-001	33	DECUL15026	25, 48	MRQD2070810	8
B50600-002	33	DECUL25026	25, 48	MRQD2070715	8
B50600-003	33	DCDECUG261525	29	MRQD2080915	9
B50600-004	33	DCDECUL271015	29	MRQD2090910	9
B50600-005	33	DCDECUL2815	29	MRQD2101015	9

# PRODUCT LISTING BY PART NUMBER

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
MRQD21915	9	MRW2415	21	RLSND170-1.5	42
MRQD22015	9	MRW2515	21	RLSND170-2.5	42
MRQD307070710	9	MRW3015	21	RLSND173-1.5	44
MRQD307080815	9	MRWDC1710	21	RLSND173-2.5	44
MRQD307070815	9	NCV115	48	RLSND174-1.5	44
MRQD32315	10	NCVB100	36	RLSND174-2.5	44
MRQD323153	10	NCVD80L	35	RLSND314-2.5	42
MRQD323154	10	NCVG40L-1.0	35	RLSP290	43
MRQD305090915	10	NCVG40L1.0	35	RLSP310	43
	10		36		42
MRQD40606060515		NCVG50		RLSP350	
MRQD32410	10	NCVKIT15	36	RLSP351	42 40
MRQD32415	10	NCVKIT60L	35	RLSP400	
MRQD308080915	10	NCVR100	36	RLSP430	44
MRQD308070815	10	NCVR40L	35	RLSP450	40
MRQD308071015	10	NCVT100	36	RLSP482	48
MRQD309090515	10	NCVT80L	35	RLSP483	45
MRQD309060910	11	PB115	25	RLSP484	45
MRQD324102	11	PDECUS15026	48	RLSP486	45
MRQD310041015	11	PDECUS25026	48	RLSP487	47
MRQD310100315	11	PDECUL15026	48	RLSP492	25,48
MRQD40707060515	11	PDECUL25026	48	RLSP503	43
MRQD310051015	11	PSTCUS15026	48	RLSP504	44
MRQD310100515	12	PSTCUS25026	48	RLSP512	45
MRQD40607060610	12	PSTCUS30026	48	RLSP513	45
MRQD32610	12	PSTCUL15026	48	RLSP516	21
MRQD32615	12	PSTCUL25026	48	RLSP517	29
MRQD308081015	12	RLBTP100-2.5	40	RLSP518	20
MRQD310100615	12	RLBTP101-2.5	40	RLSP531C	43
MRQD40606060715	12	RLBTP150-2.5	40	RLSP536	48
MRQD308100815	13	RLBTP151-2.5	40	RLSP537	25, 48
MRQD309080915	13	RLBTP200-2.5	40	RLSPGSP120	46
MRQD310061015	13	RLBTP201-2.5	40	SC11026	26
MRQD42610	13	RLIT131-1.0	22	SC1420	26
MRQD42615	13	RLITD2910	22	SC2315T	26
MRQD40707060615	13	RLITCTGNM1.0	24, 46	SC2325	26
MRQD310100715	13	RLITCTGNL1.0	24, 46	SC2410	26
MRQD310100715	13	RLITN1515	22	SC2515T	26
MRQD33020	13	RLMSP050-2.5	40	SC2520	26
MRQD32915	14	RLMSP051-2.5	40	SC3015	26
MRQD308080915	14	RLMSP100-2.5	40	SNB1710	45
MRQD310101010	14	RLMSP100 2.5	40	SPDC1810	26
	14		42	STCUS15026	48
MRQD310101015	14	RLSND107-1.5			46 48
MRQDC310101015	14	RLSND107-2.5	42	STCUS25026	
MRQD41010050815		RLSND108-2.5	42	STCUS30026	48
MRQD40710071015	14	RLSND109-1.5	42	STCUL15026	48
MRQD33020	17	RLSND109-2.5	42	STCUL25026	48
MRQD42815	17	RLSND110-1.0	42	STDTL	22
MRQDW32815	17	RLSND110-1.5	42	STDTM	22
MRQDW308080915	17	RLSND110-2.5	42	STDTS	22
MRQS232415	17	RLSND111-1.0	42	SWEBB1215	28
MRQS33215	17	RLSND111-1.5	42	TCN2115	45
MRQS2070615	7	RLSND111-2.5	42	TCN2125	45
MRQS32410	7_	RLSND111-2.5C	42	TCN4115	45
MRQS32415	7	RLSND112-2.5	42	TCN4125	45
MRQS32615	7_	RLSND113-1.5	42	TCN5115	45
MRQS309090515	7_	RLSND113-2.5	42	TCN5125	45
MRQS310100315	7	RLSND114-1.5	42	TSN2320	44
MRQS308080815	7	RLSND114-2.5	42	TSN2325	44
MRQS42610	8	RLSND116-1.5	45	WEBB102900	28
MRQS310100815	8	RLSND116-2.5	45	WEBB152900	28
MRSPSTMRECG1525	14, 41	RLSND116P-1.5	45	WEBB202900	28
MRWDC1710	21	RLSND117-1.5	45	WEBB252900	28
MRQW32410	15	RLSND118-1.5	45	WEBB1420	28
MRQW32415	15	RLSND121-1.0	43	WEBB1910	28
MRQW3241520	15	RLSND121-1.5	43	WEBB2310C	28
MRQW308080915	15	RLSND121-2.0	43	WEBB2315	28
MRQW32610	15	RLSND121-2.5	43	WEBB2610	28
MRQW32615	15	RLSND122-1.0	43	WEBB2615	28
MRQW309091015	16	RLSND122-1.5	43	WEBB2710	28
MRQW42615	15	RLSND122-2.5	43	WEBB2715	28
MRQWD307070815	16	RLSND123-1.5	44	WEBB2715T	28
MRQWSD308050815	16	RLSND123-2.5	44		
MRQWSD308080515	16	RLSND124-1.5	44		
MRQWSD306060515N	16	RLSND124-2.5	44		
MRW210	20	RLSND125-1.5	43		
MRW215	20	RLSND125-2.5	43		
MRW225	20	RLSND126-1.5	43		
MRW310	20	RLSND126-2.5	43		
MRW315	20	RLSND131-2.5	44		
MRW325	20	RLSND132-2.5	44		
MRW410	20	RLSND140-1.0	45		
MRW415	20	RLSND140-1.5	45		
MRW2110	21	RLSND140-2.5	45		

### **TERMS AND CONDITIONS**

#### Ordering

We make every effort to process and ship orders as quickly as possible. Orders received by 3pm EST are typically processed the same day but please be aware that during peak ordering seasons processing times may be longer.

We do our best to have product available. Due to order fluctuations, back-orders can occur despite our best planning efforts. Please provide a forecast for your product needs to assist us with proper manufacturing planning and inventory including strategies if possible. Forecast information increases or decreases in product needs can be forwarded to our team at sales@rhythmlink.com at any time. Thank you for your business and partnership as we work together to improve patient care.

To place an order,

- Visit Rhythmlink.com to place your online order
- Call 866.633.3754 [803.252.1222]
- Fax 803.227.1015
- Email sales@rhythmlink.com

Rhythmlink products are currently available for sale in the United States, Australia, Brazil, Canada, Israel and European Union [EU]. Contact our Sales Team, sales@rhythmlink.com, for specific country inquiries about product availability.

#### Requesting Samples

Visit Rhythmlink.com to request samples. About two weeks after you've received your samples, we may send you a survey to fill out that will help us to continually improve our products and ordering processes. Contact our Sales Team for details.

Not all products are part of the sample program.

#### Shipping

We ship all orders via FedEx or UPS. Please let us know if you have a carrier preference at the time of your order.

Both FedEx and UPS require the following information to ensure that orders are received in a timely manner:

- Phone Number
- Address classification [residential or commercial]
- Note: FedEx and UPS do not ship to PO Boxes

#### Returns

No returns will be accepted without pre-authorization prior to any return and may be subject to a stocking fee. For questions regarding a return please contact us at sales@rhythmlink.com.

#### Offer and Acceptance

Any order placed by Customer is expressly limited to and governed by these Terms and Conditions ("Agreement"). Customer's submission of an order to Rhythmlink or Rhythmlink's shipment of products or performance of services shall constitute Customer's agreement to and acceptance of these Terms and Conditions.

#### **Purchase Orders**

Any terms stated in, or otherwise provided in connection with, a Customer purchase order ("Purchase Order") that are in addition to or conflict with this Agreement shall have no force or effect.

#### Instructions for Use

Rhythmlink will provide to the Customer for Customer's internal use one (1) copy of the current Instructions for Use ("IFU") for each Product. Customer shall not reproduce any IFU or Service Manual.

#### Delivery

Unless otherwise stated on the front of the invoice, Buyer shall be responsible for all freight, insurance, and other costs related to transport of the Products from Rhythmlink's warehouse, and Buyer shall bear all risk of loss or damage from that point. Buyer shall promptly notify Rhythmlink, in no event later than five (5) business days after delivery, of any claimed shortages or rejection as to any delivery. Such notice shall be in writing and shall be reasonably detailed, stating the grounds for any such rejection. Failure to give such notice within such time shall be deemed an acceptance in full of any delivery. Rhythmlink shall not be liable for any shipment delays beyond the reasonable control of Rhythmlink which affect Rhythmlink or any of Rhythmlink's suppliers, including, but not limited to, delays caused by natural disasters, acts of war, acts or omissions of Buyer, fire, strike, riot, governmental interference, unavailability or shortage of materials, labor, fuel, or power through normal commercial channels at customary and reasonable rates, or transport failures.

## TERMS AND CONDITIONS

#### Price and Payment

Rhythmlink, at its discretion, may require reasonable advance assurances of payment. All unpaid invoices shall bear interest at an amount equal to 2% of the outstanding balance per month (or the maximum rate of interest allowed to be contracted for by law, whichever is less) commencing upon the date payment is due. Buyer's failure to make timely payment may result in such action as commencement of proceedings for collection, revocation of credit, stoppage of shipment, delay or cessation of future deliveries, repossession of unpaid delivered goods, and termination of any one or more sales agreements. Rhythmlink retains (and Buyer grants to Rhythmlink by submitting a purchase order) a security interest in the Products to secure payment in full and compliance with all sales agreements, and Buyer agrees to execute any additional documents necessary to perfect such security interest and authorizes Rhythmlink to execute and file financing statements or other necessary documents to perfect and continue such security interest. In the event that a sales invoice shall be placed by Rhythmlink in the hands of an attorney for the purpose of collection or for the purpose of enforcing Rhythmlink's security interest in the Products, Buyer agrees to pay any and all costs associated with such placement, including without limitation, attorney's fees and costs incurred prior to, during, or subsequent to trial. The amount due Rhythmlink is contracted in U.S. Dollars and payment in U.S. Dollars is of the essence.

#### Taxes

Prices and fees stated for Products do not include any taxes. Customer shall pay when due any applicable sales or other taxes and related interest and penalties arising from Customer's acquisition or possession of the Products.

#### Restriction on Use of Products

Customer shall use each Product only: (i) for Customer's internal use; (ii) in the manner described in the Product's IFU; (iii) in accordance with applicable laws and regulations, and (iv) shall not export or re-export technical data or Products in violation of applicable export regulations.

#### Warranty

Rhythmlink warrants that the products shall be new and of good quality and free from defects in material and workmanship for a period of 12 months from the date of delivery. In the event any of the products are found to be defective during such., Rhythmlink will, at its option, repair or replace the defective product or refund the purchase price attributable. If a product return is required a Return Material Authorization (RMA) will be issued and the product must be returned within 90 days of the RMA being issued or the authorization to return could be revoked.

EXCEPT AS PROVIDED ABOVE, RHYTHMLINK MAKES NO REPRESENTATION OR WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THE CONDITION OR PERFORMANCE OF THE PRODUCTS AND IT HEREBY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. UNDER NO CIRCUMSTANCES SHALL RHYTHMLINK BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE LOSSES OR DAMAGES, INCLUDING THOSE RESULTING FROM THE PRODUCTS, THEIR DELIVERY, OR THEIR USE.

#### Limitation of Liability

Rhythmlink shall not be liable under any circumstances for any special, consequential, incidental, punitive or exemplary damages arising out of or in any way connected with the products, including, but not limited to, damages for lost profits, loss of use, or for any damages or sums paid by buyer to third parties, even if rhythmlink has been advised of the possibility of such damages.

CAUTION!! Federal Law restricts this device to sale by or on the order of a practitioner licensed by the Law of the State in which he/she practices.

#### Quality

Have confidence in the products that you purchase from Rhythmlink. We stand behind all of our products and have earned some of the most important certifications from around the globe.

- · ISO 13485:2016
- EN ISO 13485:2016
- MDD 93/42/EEC
- MDSAP (ISO 13485:2016)
- ISO Class 8 Cleanroom

Contact Quality or Sales for specific marketing authorization.

For more information visit Rhythmlink.com/quality.

#### **Trademarks**

Rhythmlink is a registered trademark of Rhythmlink International, LLC.

Quick Connect System, Sticky Pad, Limelight, LeadLock, Slim Cup, Deep Cup and Webb are trademarks of Rhythmlink International, LLC.

The appearance of the MR Quick Connect extension cable is a trademark of Rhythmlink.

Ten2O and Nuprep are registered trademarks of Weaver and Co.

Dragonfly and Cobra are registered tradmarks of Neurovision Medical Products.

SightSaver is a trademark of Anschel Technology Inc.

#### **Patents**

Disposable Webb EEG Electrodes, US Patent No. D 644,738 and European Patent Registration No. 001893751-0001.

PressOn Electrode, US Patent Nos. 8112131, 8185183, 8271065, 8428681, 8538502, Chinese Patent No. CN101720202, Japanese Patent No. JP5226776 and European Patent No. EP2155056.

Monopolar Stimulating Probe with Removable Handle, US Patent No. 8137285

Guardian Needle Electrode, US Patent Nos. 10,932,683 and 11,690,549

Enhancing Patient Care Worldwide by Connecting Patients to Machines.

