



PRODUCT CATALOG

Neurodiagnostic Solutions
EEG, EMG, IONM and Sleep Products



OUR MISSION & VISION

To enhance patient care worldwide by transforming the medical device technology that links patients to machines.

Rhythmink International, LLC designs, manufactures and distributes medical devices and provides custom packaging, private labeling, custom products and contract manufacturing to its customers. Rhythmink is recognized as a leader within its field at providing the important physical connection between patients and the diagnostic equipment to record or elicit neurophysiologic biopotentials.

Originally founded by neurodiagnostic technicians and engineers in 2002, Rhythmink strives to provide continuous innovation and superior quality in all of its products. Based in Columbia, SC, Rhythmink's advancements and improvements in technology, business development and corporate branding have brought national and international recognition.

We deliver peace of mind by providing superior products, consistent availability, continuous innovation and the highest level of customer service in the industry without wavering in our commitment to fair pricing.

To this end, we are Rhythmink International, LLC.

REQUESTING SAMPLES

Request samples today at Rhythmink.com, sales@rhythmink.com or 866.633.3754.

STANDING ORDERS

Remove the time spent calling each month to generate the same order by setting up a Standing Order. Our Sales Team will work with you to create your recurring order which will then automatically ship to you by the 20th of each month.

COMPETITIVE PRICING

Rhythmink offers competitive pricing based on volume with our promise to deliver your products promptly. We are happy to work with your service to meet your needs.

SPECIAL ORDER & CUSTOM PRODUCTS

Special Order and Custom Products may have an additional lead time due to the nature of custom manufacturing. These products are not part of the sample program. Contact our Sales Team for more information at sales@rhythmink.com.

DON'T SEE WHAT YOU'RE LOOKING FOR?

Rhythmink specializes in transforming ideas into real life solutions. Whether it's modifying an existing product or creating a brand new one, partner with Rhythmink to create custom solutions specific to your needs. Learn more about our custom options on page 30.

TABLE OF CONTENTS

EEG Products

MR Conditional/CT Electrodes	
Quick Connect System™	5
Individual Connectors	21
Sticky Pad Surface Electrodes™	24
Artifact Free CT Electrodes	25
RLI EEG Template	26
RLI BrainHealth™ Headset	26
Recording Sticky Pad Surface Electrodes	27
PressOn™ Electrodes	27
Standard EEG Electrodes	28

EMG/NCV Products

RLI Concentric Needles	33
RLI NCV Pads	35
	37

IONM Products

Stimulating Probes	40
Subdermal Needles	
Single Needles	42
Paired Needles	43
Twisted Paired Needles	44
5 & 6 Twisted Needles	45
Bent Needles	45
Corkscrew Needles	45
Guardian Needle	46
MR/CT Sticky Pad Surface Electrodes	47
Standard Sticky Pad Surface Electrodes	48
Alligator Clips	49
ET Tube Electrodes	49
SightSaver™	50
Gels & Pastes	50
Product Listing by Part Number	51
Terms and Conditions	53

RhythmLink - EEG Products



RHYTHMLINK EEG ELECTRODES

RHYTHMLINK ELECTRODE STYLES

Deep Cup™	Slim Cup™	Webb™	Small Webb™	PressOn™
- Traditional cup - Designed to hold ample conductive material - Incorporates a broader rim design to assist with the protection of skin health	- Lower profile dome to assist with patient comfort - Incorporates a broader rim design to assist with the protection of skin health	- Patented flat electrode design for increased patient comfort - Greater surface area designed with skin health at the forefront - Perfect for areas on the patient where skin health or skin injury is at the highest risk	- Our same high quality flat electrode design in a smaller size - At just 6 mm wide, it's perfect any time you need a smaller electrode	- Designed to be placed quickly for fast, quality recordings - Designed to utilize medical staff already at bedside to collect real time data and provide the best patient care possible
				
- Standard - CT - MR Conditional	- Standard - CT - MR Conditional	- Standard - CT - MR Conditional	Standard	- Standard - CT - MR Conditional

STANDARD, CT OR MR CONDITIONAL

1. Standard EEG Electrodes - Disposable electrodes designed to provide quality recordings in a variety of styles and can be used for most CT studies.


2. CT Invisa-Electrode™ - Our CT design is an artifact free disposable electrode that can be left on your patient during a CT scan.

3. MR Conditional/CT - FDA cleared MR Conditional for 0.2, 0.5, 1.0, 1.5 & 3T. Can safely remain on your patient during an MRI or CT scan.

Individual Connectors - Offer longer lengths and more flexibility for anatomical needs.

Quick Connect System™ - Offer fewer connection points for quick and efficient disconnection and reconnection of electrodes when placing, plus improved cable management.

ABOUT RHYTHMLINK'S QUICK CONNECT SYSTEM



A photo of a patient with a 4 Array Quick Connect applied with a headwrap.

RhythmLink's Quick Connect System™ is an FDA Cleared Disposable EEG Electrode System for 1.5 & 3T scanners. The electrodes may remain on the patient as they are MR Conditional, while the extension cables are designed to remain at bedside as they are MR unsafe.

The Quick Connect System comes in a variety of configurations with varying numbers of arrays and total electrodes, different electrode styles and leadwire lengths, and can be customized to your exact specifications. See diagram below for more information.

WHY RHYTHMLINK


RhythmLink is the Market Leader in MR Conditional EEG Electrodes, having set the standard over ten years ago with our Individual Connectors. We've now manufactured over 30 million MR Conditional EEG Electrodes and provide the widest offering of already available SKUs, plus customization options to match your protocols.




**SAVE TIME AND PROVIDE
MORE EFFICIENT CARE
COMPARED TO STANDARD EEG**

HOW TO USE RHYTHMLINK'S QUICK CONNECT SYSTEM

When a patient is referred to MRI simply disconnect by pressing down gently on the yellow tab and pull apart.



When the patient returns from the radiology suite, use the number labeling to reconnect. Matching number to number line up the connectors and insert the tab. You will hear a click which indicates the connector is locked in place.



See our full Quick Connect User Video online at www.rhythmmlink.com/QC

MR CONDITIONAL/CT ELECTRODES

Rhythmink's Disposable MR Conditional/CT Electrodes are FDA Cleared for 0.2, 0.5, 1.0, 1.5 and 3T environments. Designed for more efficient work flow, these electrodes can remain on a patient safely within certain MRI environments when disconnected from their extension cables, or produce quality recordings and an artifact free image when used during CT scans.

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box						
 Slim Cups™									
MRQS2070615	2 Arrays (one 7 lead array & one 6 lead array) <table><tr><td>Array 1 (7)</td><td>Array 2 (6)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (7)	Array 2 (6)			1.5m	13		
Array 1 (7)	Array 2 (6)								
MRQS309090515	3 Arrays (two 9 lead arrays & one 5 lead array) <table><tr><td>Array 1 (9)</td><td>Array 2 (9)</td><td>Array 3 (5)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (9)	Array 2 (9)	Array 3 (5)				1.5m	23
Array 1 (9)	Array 2 (9)	Array 3 (5)							
MRQS310100315	3 Arrays (two 10 lead arrays & one 3 lead array) <table><tr><td>Array 1 (10)</td><td>Array 2 (10)</td><td>Array 3 (3)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (10)	Array 3 (3)				1.5m	23
Array 1 (10)	Array 2 (10)	Array 3 (3)							
MRQS32410	3 Arrays (each contains 8 leads) <table><tr><td>Array 1 (8)</td><td>Array 2 (8)</td><td>Array 3 (8)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (8)				1.0m	24
Array 1 (8)	Array 2 (8)	Array 3 (8)							
MRQS32415	3 Arrays (each contains 8 leads) <table><tr><td>Array 1 (8)</td><td>Array 2 (8)</td><td>Array 3 (8)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (8)				1.5m	24
Array 1 (8)	Array 2 (8)	Array 3 (8)							
MRQS308080815	3 Arrays (each contains 8 leads) <table><tr><td>Array 1 (8)</td><td>Array 2 (8)</td><td>Array 3 (8)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (8)				1.5m	24
Array 1 (8)	Array 2 (8)	Array 3 (8)							
MRQS32615	3 Arrays (two 8 lead arrays & one 10 lead array) <table><tr><td>Array 1 (8)</td><td>Array 2 (8)</td><td>Array 3 (10)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (10)				1.5m	26
Array 1 (8)	Array 2 (8)	Array 3 (10)							

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box								
 Slim Cups™											
MRQS421610	4 Arrays (two 7 lead arrays & two 6 lead arrays) <table><tr><td>Array 1 (7)</td><td>Array 2 (7)</td><td>Array 3 (6)</td><td>Array 4 (6)</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>	Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)					1.0m	26
Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)								
MRQS310100815	3 Arrays (two 10 lead arrays & one 8 lead array) + 4 single MR Slim Cups <table><tr><td>Array 1 (10)</td><td>Array 2 (10)</td><td>Array 3 (8)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (10)	Array 3 (8)				1.5m	32		
Array 1 (10)	Array 2 (10)	Array 3 (8)									
 Deep Cups™											
MRQD10810	1 Array of 8 leads, 10-20 labeling <table><tr><td>Array 1 (8)</td></tr><tr><td> </td></tr></table>	Array 1 (8)		1.0m	8						
Array 1 (8)											
MRQD2060710	2 Arrays (one 6 lead array & one 7 lead array), 10-20 labeling <table><tr><td>Array 1 (6)</td><td>Array 2 (7)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (6)	Array 2 (7)			1.0m	13				
Array 1 (6)	Array 2 (7)										
MRQD2060715	2 Arrays (one 6 lead array & one 7 lead array) <table><tr><td>Array 1 (6)</td><td>Array 2 (7)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (6)	Array 2 (7)			1.5m	13				
Array 1 (6)	Array 2 (7)										
MRQD2070615	2 Arrays (one 7 lead array & one 6 lead array), 10-20 labeling <table><tr><td>Array 1 (7)</td><td>Array 2 (6)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (7)	Array 2 (6)			1.5m	13				
Array 1 (7)	Array 2 (6)										
MRQD2070715	2 Arrays (each contain 7 leads) <table><tr><td>Array 1 (7)</td><td>Array 2 (7)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (7)	Array 2 (7)			1.5m	14				
Array 1 (7)	Array 2 (7)										

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box						
 Deep Cups™									
MRQD2070810	2 Arrays (one 7 lead array & one 8 lead array), 10-20 labeling <table><tr><td>Array 1 (7)</td><td>Array 2 (8)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (7)	Array 2 (8)			1.0m	15		
Array 1 (7)	Array 2 (8)								
MRQD2080915	2 Arrays (one 8 lead array & one 9 lead array) <table><tr><td>Array 1 (8)</td><td>Array 2 (9)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (9)			1.5M	17		
Array 1 (8)	Array 2 (9)								
MRQD2090910	2 Arrays (each contains 9 leads) <table><tr><td>Array 1 (9)</td><td>Array 2 (9)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (9)	Array 2 (9)			1.0m	18		
Array 1 (9)	Array 2 (9)								
MRQD21915	2 Arrays (one 9 lead array & one 8 lead array) + 2 Single MR Deep Cups <table><tr><td>Array 1 (9)</td><td>Array 2 (8)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (9)	Array 2 (8)			1.5m	19		
Array 1 (9)	Array 2 (8)								
MRQD2101015	2 Arrays (each contains 10 leads) <table><tr><td>Array 1 (10)</td><td>Array 2 (10)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (10)			1.5m	20		
Array 1 (10)	Array 2 (10)								
MRQD22015	2 Arrays (each contains 10 leads) <table><tr><td>Array 1 (10)</td><td>Array 2 (10)</td></tr><tr><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (10)			1.5m	20		
Array 1 (10)	Array 2 (10)								
MRQD307070710	3 Arrays (each contains 7 leads), 10-20 labeling <table><tr><td>Array 1 (7)</td><td>Array 2 (7)</td><td>Array 3 (7)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (7)	Array 2 (7)	Array 3 (7)				1.0m	21
Array 1 (7)	Array 2 (7)	Array 3 (7)							
MRQD307080815	3 Arrays (two 8 lead arrays & one 7 lead array) <table><tr><td>Array 1 (7)</td><td>Array 2 (8)</td><td>Array 3 (8)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (7)	Array 2 (8)	Array 3 (8)				1.5m	23
Array 1 (7)	Array 2 (8)	Array 3 (8)							

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box								
 Deep Cups™											
MRQD310100315	3 Arrays (two 10 lead arrays & one 3 lead array) <table><tr><td>Array 1 (10)</td><td>Array 2 (10)</td><td>Array 3 (3)</td></tr><tr><td> ●●●●●●●●●● ●○●●●●●● </td><td> ●●●●●●●●●● ●○●●●●●● </td><td> ●●● </td></tr></table>	Array 1 (10)	Array 2 (10)	Array 3 (3)	●●●●●●●●●● ●○●●●●●●	●●●●●●●●●● ●○●●●●●●	●●●	1.5m	23		
Array 1 (10)	Array 2 (10)	Array 3 (3)									
●●●●●●●●●● ●○●●●●●●	●●●●●●●●●● ●○●●●●●●	●●●									
MRQD32315	3 Arrays (two 9 lead arrays & one 5 lead array) <table><tr><td>Array 1 (9)</td><td>Array 2 (9)</td><td>Array 3 (5)</td></tr><tr><td> ●●●●●●●●● ●●●●●●●● </td><td> ●●●●●●●●● ●●●●●●●● </td><td> ●●●●● </td></tr></table>	Array 1 (9)	Array 2 (9)	Array 3 (5)	●●●●●●●●● ●●●●●●●●	●●●●●●●●● ●●●●●●●●	●●●●●	1.5m	23		
Array 1 (9)	Array 2 (9)	Array 3 (5)									
●●●●●●●●● ●●●●●●●●	●●●●●●●●● ●●●●●●●●	●●●●●									
MRQD323153	3 Arrays (two 9 lead arrays & one 5 lead array) <table><tr><td>Array 1 (9)</td><td>Array 2 (5)</td><td>Array 3 (9)</td></tr><tr><td> ●●●●●●●●● ●●●●●●●● </td><td> ●○●●●●● </td><td> ●●●●●●●●● ●●●●●●●● </td></tr></table>	Array 1 (9)	Array 2 (5)	Array 3 (9)	●●●●●●●●● ●●●●●●●●	●○●●●●●	●●●●●●●●● ●●●●●●●●	1.5m	23		
Array 1 (9)	Array 2 (5)	Array 3 (9)									
●●●●●●●●● ●●●●●●●●	●○●●●●●	●●●●●●●●● ●●●●●●●●									
MRQD323154	3 Arrays (two 9 lead arrays & one 5 lead array) in green/red/white sleeves <table><tr><td>Array 1 (9)</td><td>Array 2 (9)</td><td>Array 3 (5)</td></tr><tr><td> ●○●●●●●●● ●●●●●●●● </td><td> ●○●●●●●●● ●●●●●●●● </td><td> ○●●●● </td></tr></table>	Array 1 (9)	Array 2 (9)	Array 3 (5)	●○●●●●●●● ●●●●●●●●	●○●●●●●●● ●●●●●●●●	○●●●●	1.5m	23		
Array 1 (9)	Array 2 (9)	Array 3 (5)									
●○●●●●●●● ●●●●●●●●	●○●●●●●●● ●●●●●●●●	○●●●●									
MRQD40606060515	4 Arrays (three 6 lead arrays & one 5 lead array), 10-20 labeling <table><tr><td>Array 1 (6)</td><td>Array 2 (6)</td><td>Array 3 (6)</td><td>Array 4 (5)</td></tr><tr><td> ●●●●●● </td><td> ○●●●●● </td><td> ○●●●●● </td><td> ○●●●● </td></tr></table>	Array 1 (6)	Array 2 (6)	Array 3 (6)	Array 4 (5)	●●●●●●	○●●●●●	○●●●●●	○●●●●	1.5m	23
Array 1 (6)	Array 2 (6)	Array 3 (6)	Array 4 (5)								
●●●●●●	○●●●●●	○●●●●●	○●●●●								
MRQD308070815	3 Arrays (two 8 lead arrays & one 7 lead array) <table><tr><td>Array 1 (8)</td><td>Array 2 (7)</td><td>Array 3 (8)</td></tr><tr><td> ●●●●●●●● ●●●●●●●● </td><td> ●●●●●●● ●●●●●●● </td><td> ●●●●●●●● ●●●●●●●● </td></tr></table>	Array 1 (8)	Array 2 (7)	Array 3 (8)	●●●●●●●● ●●●●●●●●	●●●●●●● ●●●●●●●	●●●●●●●● ●●●●●●●●	1.5m	23		
Array 1 (8)	Array 2 (7)	Array 3 (8)									
●●●●●●●● ●●●●●●●●	●●●●●●● ●●●●●●●	●●●●●●●● ●●●●●●●●									
MRQD305090915	3 Arrays (two 9 lead arrays & one 5 lead array) <table><tr><td>Array 1 (5)</td><td>Array 2 (9)</td><td>Array 3 (9)</td></tr><tr><td> ●●●●● </td><td> ●○●●●●●●● ●●●●●●●● </td><td> ●○●●●●●●● ●●●●●●●● </td></tr></table>	Array 1 (5)	Array 2 (9)	Array 3 (9)	●●●●●	●○●●●●●●● ●●●●●●●●	●○●●●●●●● ●●●●●●●●	1.5m	23		
Array 1 (5)	Array 2 (9)	Array 3 (9)									
●●●●●	●○●●●●●●● ●●●●●●●●	●○●●●●●●● ●●●●●●●●									
MRQD309090515	3 Arrays (two 9 lead arrays & one 5 lead array) in blue/red/black sleeves <table><tr><td>Array 1 (9)</td><td>Array 2 (9)</td><td>Array 3 (5)</td></tr><tr><td> ○●●●●●●●● ●●●●●●●● </td><td> ●○●●●●●●● ●●●●●●●● </td><td> ●●●●● </td></tr></table>	Array 1 (9)	Array 2 (9)	Array 3 (5)	○●●●●●●●● ●●●●●●●●	●○●●●●●●● ●●●●●●●●	●●●●●	1.5m	23		
Array 1 (9)	Array 2 (9)	Array 3 (5)									
○●●●●●●●● ●●●●●●●●	●○●●●●●●● ●●●●●●●●	●●●●●									

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box						
 Deep Cups™									
MRQD32410	3 Arrays (each contains 8 leads) <table><tr><td>Array 1 (8)</td><td>Array 2 (8)</td><td>Array 3 (8)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (8)				1.0m	24
Array 1 (8)	Array 2 (8)	Array 3 (8)							
MRQD32415	3 Arrays (each contains 8 leads) <table><tr><td>Array 1 (8)</td><td>Array 2 (8)</td><td>Array 3 (8)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (8)				1.5m	24
Array 1 (8)	Array 2 (8)	Array 3 (8)							
MRQD324153	3 Arrays (two 4 lead arrays and one 5 lead array) + 8 Single MR Conditional Sticky Pads <table><tr><td>Array 1 (4)</td><td>Array 2 (5)</td><td>Array 3 (4)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (4)	Array 2 (5)	Array 3 (4)				1.5m	24
Array 1 (4)	Array 2 (5)	Array 3 (4)							
MRQD309060910	3 Arrays (two 9 lead arrays & one 6 lead array), 10-20 labeling <table><tr><td>Array 1 (9)</td><td>Array 2 (6)</td><td>Array 3 (9)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (9)	Array 2 (6)	Array 3 (9)				1.0m	24
Array 1 (9)	Array 2 (6)	Array 3 (9)							
MRQD324102	3 Arrays (two 9 lead arrays & one 6 lead array) <table><tr><td>Array 1 (9)</td><td>Array 2 (6)</td><td>Array 3 (9)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (9)	Array 2 (6)	Array 3 (9)				1.0m	24
Array 1 (9)	Array 2 (6)	Array 3 (9)							
MRQD310041015	3 Arrays (two 10 lead arrays & one 4 lead array) <table><tr><td>Array 1 (10)</td><td>Array 2 (4)</td><td>Array 3 (10)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (4)	Array 3 (10)				1.5m	24
Array 1 (10)	Array 2 (4)	Array 3 (10)							
MRQD325152	3 Arrays (two 9 lead array, one 7 lead array), 10-20 labeling <table><tr><td>Array 1 (9)</td><td>Array 2 (7)</td><td>Array 3 (9)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (9)	Array 2 (7)	Array 3 (9)				1.5m	25
Array 1 (9)	Array 2 (7)	Array 3 (9)							

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box								
 Deep Cups™											
MRQD308071015	3 Arrays (one 8 lead array, one 7 lead array & one 10 lead array), 10-20 labeling <table><tr><td>Array 1 (8)</td><td>Array 2 (7)</td><td>Array 3 (10)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (7)	Array 3 (10)				1.5m	25		
Array 1 (8)	Array 2 (7)	Array 3 (10)									
MRQD310051015	3 Arrays (two 10 lead arrays and one 5 lead array) <table><tr><td>Array 1 (10)</td><td>Array 2 (5)</td><td>Array 3 (10)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (5)	Array 3 (10)				1.5m	25		
Array 1 (10)	Array 2 (5)	Array 3 (10)									
MRQD3100510152	3 Arrays (two 10 lead arrays and one 5 lead array), 10-20 labeling <table><tr><td>Array 1 (10)</td><td>Array 2 (5)</td><td>Array 3 (10)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (5)	Array 3 (10)				1.5m	25		
Array 1 (10)	Array 2 (5)	Array 3 (10)									
MRQD40707060515	4 Arrays (two 7 lead arrays, one 6 lead array & one 5 lead array), 10-20 labeling <table><tr><td>Array 1 (7)</td><td>Array 2 (7)</td><td>Array 3 (6)</td><td>Array 4 (5)</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>	Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (5)					1.5m	25
Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (5)								
MRQD40606060715	4 Arrays (three arrays of 6 & one 7 lead array) <table><tr><td>Array 1 (6)</td><td>Array 2 (6)</td><td>Array 3 (6)</td><td>Array 4 (7)</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>	Array 1 (6)	Array 2 (6)	Array 3 (6)	Array 4 (7)					1.5m	25
Array 1 (6)	Array 2 (6)	Array 3 (6)	Array 4 (7)								
MRQD310100515	3 Arrays (two 10 lead arrays and one 5 lead array) <table><tr><td>Array 1 (10)</td><td>Array 2 (10)</td><td>Array 3 (5)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (10)	Array 3 (5)				1.0m	25		
Array 1 (10)	Array 2 (10)	Array 3 (5)									
MRQD32610	3 Arrays (two 8 lead arrays & one 10 lead array) <table><tr><td>Array 1 (8)</td><td>Array 2 (8)</td><td>Array 3 (10)</td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (10)				1.0m	26		
Array 1 (8)	Array 2 (8)	Array 3 (10)									

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box								
 Deep Cups™											
MRQD32615	3 Arrays (two 8 lead arrays & one 10 lead array) <table><tr><td>Array 1 (8)</td><td>Array 2 (8)</td><td>Array 3 (10)</td></tr><tr><td> ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● ● ● </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (10)	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	1.5m	26		
Array 1 (8)	Array 2 (8)	Array 3 (10)									
● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●									
MRQD308081015	3 Arrays (two 8 lead arrays & one 10 lead array), 10-20 labeling <table><tr><td>Array 1 (8)</td><td>Array 2 (8)</td><td>Array 3 (10)</td></tr><tr><td> ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● ● ● </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (10)	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	1.5m	26		
Array 1 (8)	Array 2 (8)	Array 3 (10)									
● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●									
MRQD310100615	3 Arrays (two 10 lead arrays & one 6 lead array), 10-20 labeling <table><tr><td>Array 1 (10)</td><td>Array 2 (10)</td><td>Array 3 (6)</td></tr><tr><td> ● ● ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● </td></tr></table>	Array 1 (10)	Array 2 (10)	Array 3 (6)	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ●	1.5m	26		
Array 1 (10)	Array 2 (10)	Array 3 (6)									
● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ●									
MRQD308100815	3 Arrays (two 8 lead arrays & one 10 lead array), 10-20 labeling <table><tr><td>Array 1 (8)</td><td>Array 2 (10)</td><td>Array 3 (8)</td></tr><tr><td> ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● </td></tr></table>	Array 1 (8)	Array 2 (10)	Array 3 (8)	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	1.5m	26		
Array 1 (8)	Array 2 (10)	Array 3 (8)									
● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●									
MRQD3081008152	3 Arrays (two 8 lead arrays & one 10 lead array), 10-20 labeling <table><tr><td>Array 1 (8)</td><td>Array 2 (10)</td><td>Array 3 (8)</td></tr><tr><td> ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● </td></tr></table>	Array 1 (8)	Array 2 (10)	Array 3 (8)	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	1.5m	26		
Array 1 (8)	Array 2 (10)	Array 3 (8)									
● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●									
MRQD309080915	3 Arrays (two 9 lead arrays & one 8 lead array), 10-20 labeling <table><tr><td>Array 1 (9)</td><td>Array 2 (10)</td><td>Array 3 (9)</td></tr><tr><td> ● ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● ● </td></tr></table>	Array 1 (9)	Array 2 (10)	Array 3 (9)	● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ●	1.5m	26		
Array 1 (9)	Array 2 (10)	Array 3 (9)									
● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ● ●									
MRQD310061015	3 Arrays (two 10 lead arrays & one 6 lead array), 10-20 labeling <table><tr><td>Array 1 (10)</td><td>Array 2 (6)</td><td>Array 3 (10)</td></tr><tr><td> ● ● ● ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● ● ● ● </td></tr></table>	Array 1 (10)	Array 2 (6)	Array 3 (10)	● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●	1.5m	26		
Array 1 (10)	Array 2 (6)	Array 3 (10)									
● ● ● ● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ● ● ● ● ●									
MRQD42610	4 Arrays (two 7 lead arrays & two 6 lead arrays) <table><tr><td>Array 1 (7)</td><td>Array 2 (7)</td><td>Array 3 (6)</td><td>Array 4 (6)</td></tr><tr><td> ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● ● </td><td> ● ● ● ● ● ● </td><td> ● ● ● ● ● ● </td></tr></table>	Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)	● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ●	1.0m	26
Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)								
● ● ● ● ● ● ●	● ● ● ● ● ● ●	● ● ● ● ● ●	● ● ● ● ● ●								

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box			
 Deep Cups™						
MRQD42615	4 Arrays (two 7 lead arrays & two 6 lead arrays)	1.5m	26			
	Array 1 (7)			Array 2 (7)	Array 3 (6)	Array 4 (6)
MRQD40707060615	4 Arrays (two 7 lead arrays & two 6 lead arrays), 10-20 labeling	1.5m	26			
	Array 1 (7)			Array 2 (7)	Array 3 (6)	Array 4 (6)
MRQD310100715	3 Arrays (two 10 lead arrays & one 7 lead array), 10-20 labeling	1.5m	27			
	Array 1 (10)			Array 2 (10)	Array 3 (7)	
MRQD40706070715	4 Arrays (three 7 lead arrays and one 6 lead array), 10-20 labeling	1.5m	27			
	Array 1 (7)			Array 2 (6)	Array 3 (7)	Array 4 (7)
MRQD32915	3 Arrays (two 10 lead arrays & one 7 lead array) + 2 single MR Deep Cups	1.5m	27 2			
	Array 1 (10)			Array 2 (10)	Array 3 (7)	
MRQD308080915	3 Arrays (two 8 lead arrays & one 9 lead array) + 4 single MR Deep Cups	1.5m	25 4			
	Array 1 (8)			Array 2 (8)	Array 3 (9)	
MRQD40607060610	4 Arrays (three 6 lead arrays & one 7 lead array) plus 4 single MR Deep Cup	1.0m	29			
	Array 1 (6)			Array 2 (7)	Array 3 (6)	Array 4 (6)
MRQD329154	3 Arrays (two 10 lead arrays & one 7 lead array) + 2 MR Sticky Pads™ in Bundle	2.5m	29			
	Array 1 (10)			Array 2 (10)	Array 3 (7)	

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box								
 Deep Cups™											
MRQD310101010	3 Arrays (each contain 10 leads), 10-10 labeling <table><tr><th>Array 1 (10)</th><th>Array 2 (10)</th><th>Array 3 (10)</th></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (10)	Array 3 (10)				1.0m	30		
Array 1 (10)	Array 2 (10)	Array 3 (10)									
MRQD310101015	3 Arrays (each contain 10 leads), 10-20 labeling <table><tr><th>Array 1 (10)</th><th>Array 2 (10)</th><th>Array 3 (10)</th></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (10)	Array 3 (10)				1.5m	30		
Array 1 (10)	Array 2 (10)	Array 3 (10)									
MRQDC310101015	3 Arrays (each contain 10 leads), 10-10 labeling <table><tr><th>Array 1 (10)</th><th>Array 2 (10)</th><th>Array 3 (10)</th></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (10)	Array 3 (10)				1.5m	30		
Array 1 (10)	Array 2 (10)	Array 3 (10)									
MRQD41010050815	4 Arrays (two 10 lead arrays, one 5 lead array & one 8 lead array) <table><tr><th>Array 1 (10)</th><th>Array 2 (10)</th><th>Array 3 (5)</th><th>Array 4 (8)</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>	Array 1 (10)	Array 2 (10)	Array 3 (5)	Array 4 (8)					1.5m	33
Array 1 (10)	Array 2 (10)	Array 3 (5)	Array 4 (8)								
MRQD40710071015	4 Arrays (two 10 lead arrays & two 7 lead arrays) <table><tr><th>Array 1 (7)</th><th>Array 2 (10)</th><th>Array 3 (7)</th><th>Array 4 (10)</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>	Array 1 (7)	Array 2 (10)	Array 3 (7)	Array 4 (10)					1.5m	34
Array 1 (7)	Array 2 (10)	Array 3 (7)	Array 4 (10)								

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box								
 Webbs™											
MRQW32410	3 Arrays (each contains 8 leads) <table><tr><th>Array 1 (8)</th><th>Array 2 (8)</th><th>Array 3 (8)</th></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (8)				1.0m	24		
Array 1 (8)	Array 2 (8)	Array 3 (8)									
MRQW32415	3 Arrays (each contains 8 leads) <table><tr><th>Array 1 (8)</th><th>Array 2 (8)</th><th>Array 3 (8)</th></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (8)				1.5m	24		
Array 1 (8)	Array 2 (8)	Array 3 (8)									
MRQW3241520	3 Arrays (two 9 lead arrays & one 5 lead array) + 1 single MR webb <table><tr><th>Array 1 (9)</th><th>Array 2 (9)</th><th>Array 3 (5)</th></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (9)	Array 2 (9)	Array 3 (5)				1.5m 2.0m	23 1		
Array 1 (9)	Array 2 (9)	Array 3 (5)									
MRQW308080915	3 Arrays (two 8 lead arrays & one 9 lead array), 10-20 labeling <table><tr><th>Array 1 (8)</th><th>Array 2 (8)</th><th>Array 3 (9)</th></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (9)				1.5m	25		
Array 1 (8)	Array 2 (8)	Array 3 (9)									
MRQW32610	3 Arrays (two 8 lead arrays & one 10 lead array) <table><tr><th>Array 1 (8)</th><th>Array 2 (8)</th><th>Array 3 (10)</th></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (10)				1.0m	26		
Array 1 (8)	Array 2 (8)	Array 3 (10)									
MRQW32615	3 Arrays (two 8 lead arrays & one 10 lead array) <table><tr><th>Array 1 (8)</th><th>Array 2 (8)</th><th>Array 3 (10)</th></tr><tr><td> </td><td> </td><td> </td></tr></table>	Array 1 (8)	Array 2 (8)	Array 3 (10)				1.5m	26		
Array 1 (8)	Array 2 (8)	Array 3 (10)									
MRQW42615	4 Arrays (two 7 lead arrays & two 6 lead arrays) <table><tr><th>Array 1 (7)</th><th>Array 2 (7)</th><th>Array 3 (6)</th><th>Array 4 (6)</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>	Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)					1.5m	26
Array 1 (7)	Array 2 (7)	Array 3 (6)	Array 4 (6)								

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box		
 Webbs™					
MRQW309091015	3 Arrays (two 9 lead arrays & one 10 lead array), 10-20 labeling	1.5m	29		
	Array 1 (9)			Array 2 (9)	Array 3 (10)
Product Number	Description	Lead Length	Leads Per Box		
Combo					
MRQDW10630	1 Arrays (6 leads)	3.0m	6		
	Array 1 (6)				
MRQWSD306060515N	3 Arrays (two 6 lead arrays & one 5 lead array) Deep Cups, Slim Cups & Webbs	1.5m	17		
	Array 1 (6)			Array 2 (6)	Array 3 (5)
MRQWSD308050815	3 Arrays (two 8 lead arrays & one 5 lead array) Deep Cups, Slim Cups & Webbs, 10-20 labeling	1.5m	21		
	Array 1 (8)			Array 2 (5)	Array 3 (8)
MRQWSD308080515	3 Arrays (two 8 lead arrays & one 5 lead array) Deep Cups, Slim Cups & Webbs	1.5m	21		
	Array 1 (8)			Array 2 (8)	Array 3 (5)
MRQWD307070815	3 Arrays (two 7 lead arrays & one 8 lead array) Deep Cups & Webbs, 10-20 labeling	1.5m	22		
	Array 1 (7)			Array 2 (7)	Array 3 (8)

MR CONDITIONAL/CT ELECTRODES

Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box			
Combo						
MRQS232415	3 Arrays (two 9 lead arrays & one 4 lead array) + 2 Single MR Conditional Sticky Pads	1.5m	22 2			
	Array 1 (9)			Array 2 (9)	Array 3 (4)	
MRQDW308080915	3 Arrays (two 8 lead arrays & one 9 lead array) Deep Cups & Webbs	1.5m	25			
	Array 1 (8)			Array 2 (8)	Array 3 (9)	
MRQWSD32715	3 Arrays (two 9 lead arrays and one 7 lead array) Webbs, Slim and Deep Cups + 2 Single MR Conditional Sticky Pads	1.5m	27			
	Array 1 (7)			Array 2 (9)	Array 3 (9)	
MRQD3271525	3 Arrays (two 10 lead arrays and one 3 lead array) + 4 Single MR Conditional Sticky Pad Surface Electrodes	1.5m cups 2.5m pads	27			
	Array 1 (10)			Array 2 (10)	Array 3 (3)	
MRQDW32815	3 Arrays (two 10 lead arrays & one 7 lead array) Deep Cups & Webbs + 1 MR Single Deep Cup	1.5m	27 1			
	Array 1 (10)			Array 2 (10)	Array 3 (7)	
MRQD42815	4 Arrays (two 7 lead arrays & two 5 lead arrays) + 4 Single MR Conditional Sticky Pads	1.5m cups 2.5m pads	24 4			
	Array 1 (7)			Array 2 (5)	Array 3 (7)	Array 4 (5)

MR CONDITIONAL/CT ELECTRODES


Disposable Quick Connect System™

Designed for one box per patient use.

Product Number	Description	Lead Length	Leads Per Box		
Combo					
MRQD33020	3 Arrays (two 10 lead arrays and one 8 lead array) + 2 Single MR Conditional Sticky Pads	2.0m cups 2.5m pads	28 2		
	Array 1 (10)			Array 2 (8)	Array 3 (10)
MRQS33215	3 Arrays (two 10 lead arrays & 1 array of 8) + 4 Single MR Sticky Pads	15m	32		
	Array 1 (10)			Array 2 (10)	Array 3 (8)

WAYS TO CUSTOMIZE

If you didn't see a configuration that's perfect for you, let Rhythmlink make a fully custom set of electrodes to match your workflow. Fully customize each of the following components:



Ready to design your custom configuration?
Contact sales@rhythmlink.com to get started!

MR CONDITIONAL/CT ELECTRODES

Disposable Individual Connectors

Product Number	Description	Lead Length	Electrodes Per Box
 Slim Cups™			
MRC210	Numbers 1 - 12	1.0m	12
MRC215	Lead Wire 	1.5m	
MRC225	Connector 	2.5m	
MRC310	Numbers 13 - 24	1.0m	
MRC315	Lead Wire 	1.5m	
MRC325	Connector 	2.5m	
MRC410	Numbers 25 - 36	1.0m	
MRC415	Lead Wire 	1.5m	
MRC425	Connector 	2.5m	
MRC510	Numbers 37 - 48	1.0m	
MRC515	Lead Wire 	1.5m	
MRC525	Connector 	2.5m	
MRC3010	Numbers 1 - 30 Lead Wire  Connector 	1.0m	30
 Deep Cups™			
MRDC210	Numbers 1 - 12	1.0m	12
MRDC215	Lead Wire 	1.5m	
MRDC225	Connector 	2.5m	
MRDC310	Numbers 13 - 24	1.0m	
MRDC315	Lead Wire 	1.5m	
MRDC325	Connector 	2.5m	
MRDC410	Numbers 25 - 36	1.0m	
MRDC415	Lead Wire  Connector 	1.5m	
MRDC515	Numbers 37 - 48 Lead Wire  Connector 	1.5m	20
MRDC2015	Mixed Numbers Lead Wire  Connector  Number 1 3 5 7 9 10 12 14 16 18 19 20 21 22 23 24 25 27 28 29	1.5m	

MR CONDITIONAL/CT ELECTRODES

Disposable Individual Connectors

Product Number	Description	Lead Length	Electrodes Per Box
 Deep Cups™			
MRDC2215	Numbers 1 - 22 Lead Wire  Connector 	1.5m	22
MRDC2415	Single pouch with one coil of Numbers 1-12 and one coil of Numbers 13-24.		24
MRDC2615	Numbers 1 - 26 Lead Wire  Connector 		26
MRDC2710	Numbers 1-27 Lead Wire  Connector 	1.0m	27
MRDC2715	One bundle of (3) bundles Deep Cup + 4 Sticky Pads 	1.5m	27
MRDC2910	Numbers 1 - 29 Lead Wire  Connector 	1.0m	29
MRDC2915		1.5m	
RLSP518	MR/CT Deep Cup with 10/20 labeling in Leadwire Sleeves Large Recording Sticky Pads™	1.0m 1.5m	25 4
MRDC3015	Numbers 1 - 30 Lead Wire  Connector 	1.5m	30
 Webbs™			
MRW615	10-20 Labeling Lead Wire  Connector 	1.5m	6
MRW210	Numbers 1 - 12 Lead Wire  Connector 	1.0m	12
MRW215		1.5m	
MRW225		2.5m	
MRW310	Numbers 13 - 24 Lead Wire  Connector 	1.0m	
MRW315		1.5m	
MRW325		2.5m	
MRW410	Numbers 25 - 36 Lead Wire  Connector 	1.0m	
MRW415		1.5m	
MRWDC1710	MR Webb Electrodes  MR Deep Cup Electrodes 	1.0m	5 12

MR CONDITIONAL/CT ELECTRODES

Disposable Individual Connectors

Product Number	Description	Lead Length	Electrodes Per Box
 Webbs™			
MRW2110	Numbers 1 - 21 Lead Wire  Connector 	1.0m	21
RLSP516	MR Webb Electrodes  MR Deep Cup Electrodes 	1.5m	7 15
MRW2415	Single pouch with one coil of Numbers 1-12 and one coil of Numbers 13-24 with blue and red leadwire sleeves with 10/20 labeling	1.5-2.0m	24
MRW2515	Numbers 1 - 25 Lead Wire  Connector 	1.5m	25
MRW3015	Numbers 1 - 30 Lead Wire  Connector 	1.5m	30
 PressOn™			
MRP210	Numbers 1 - 12 Lead Wire  Connector 	1.0m	12
MRP215		1.5m	
MRP225		2.5m	
MRP310	Numbers 13 - 24 Lead Wire  Connector 	1.0m	
MRP315		1.5m	
MRP325		2.5m	
MRP410	Numbers 25 - 36 Lead Wire  Connector 	1.0m	
MRP415		1.5m	
MRP515	Numbers 37 - 48 Lead Wire  Connector 	1.5m	
MRP525		2.5m	
MRPB215		1.5m	
LeadLock™			
MRLL1	1 set / pouch [set = 1 yellow & 1 red]		1
MRLL24	24 sets/ pouch [set = 1 yellow & 1 red]		24

MR CONDITIONAL/CT ELECTRODES


RhythmLink's MR Conditional Sticky Pad™ Surface Electrodes are the same high-quality surface electrodes you've come to expect from RhythmLink, now made with improved leadwire for enhanced CT Compatibility, and FDA Clearance for 1.5 and 3T MRI. Disposable MR Conditional Sticky Pads are available in two sizes and specially formulated for Stimulating, Recording or Grounding.

MR Conditional/CT Disposable Sticky Pad Surface Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
Single Stimulating Sticky Pads			
MRSPSS8015	Small [15 x 20mm] ●●●●	1.5m	80
MRSPSS8025		2.5m	
MRSPSL8015	Large [20 x 25mm] ●●●●	1.5m	
MRSPSL8025		2.5m	
Single Recording Sticky Pads			
MRSPRS1410	Small [15x20mm] ●○●●●●●●●●●●●●●●	1.0m	14
MRSPRS4025	Small [15x20mm] ●	2.5m	40
MRSPRL4015	Large [20 x 25mm] ●	1.5m	40
MRSPRS8015	Small [15 x 20mm] ●●●●	1.5m	80
MRSPRS8025		2.5m	
MRSPRL8015	Large [20 x 25mm] ●●●●	1.5m	
MRSPRL8025		2.5m	
Ground Sticky Pads			
MRSPG4015	45 x 35mm ●	1.5m	40
MRSPG4025		2.5m	
Sample Pack			
MRSPSTMRECG1525	2 of each Sticky Pad Electrodes (Ground, Stimulating, Recording) in both Small and Large	1.5m & 2.5m	18



Ground Sticky Pad Surface Electrode



ARTIFACT FREE INVISA-ELECTRODES™ FOR CT

Have you been looking for an electrode that can be left on during a CT scan that shows no artifact? RhythmLink has the answer for you. Available in Slim Cup™, Deep Cup™, Webb™ and PressOn™ versions.

Disposable Invisa-Electrodes™

Product Number	Description	Lead Length	Electrodes Per Box
 InvisaSlim™ Cup			
CTC115		1.5m	12
CTSW2715	Slim  Webb 	1.5m	25 2
 InvisaDeep™ Cup			
CTDC115		1.5m	12
CTDC2215		1.5m	22
CTDC2615		1.5m	26
CTDC26151020		1.5m	26
CTDC2715		1.5m	27
CTDC2825		2.5m	28
CTDC3020		2.0m	30
CTDC3515	 	1.5m	35
CTDC4415	Bundle 1:  Bundle 2: 	1.5m	44
 InvisaWebb™			
CTW115		1.5m	12
CTW2715		1.5m	27
 InvisaPressOn™			
CPTB115		1.5m	5
 InvisaNeedle™ - 13mm			
CTN115		1.5m	24
CTN125		2.5m	24

Slim Cup, Deep Cup, Webb, Invisa-Electrode, InvisaSlim, InvisaDeep, InvisaWebb, InvisaPressOn and InvisaNeedle are trademarks of RhythmLink International, LLC. PressOn Electrode, US Patent Nos. 8112131, 8185183, 8271065, 8428681, 8538502, Chinese Patent No. CN101720202, Japanese Patent No. JP5226776 and European Patent No. EP2155056.

RHYTHMLINK EEG TEMPLATE

Perfect for critical care environments, the Rhythmlink Template is a disposable elastic template that fits over your patient's head to assist in fast and accurate placement of EEG electrodes!


The template is offered in several sizes depending on product type. Designed for universal applications, the standard template offers three varying sizes to ensure you always have the best fit for your patient. Our second option, designed for the ICU, is offered in two sizes. Both varieties are labeled with common electrode placements, 16 for ICU and 21 for standard, to ensure a fast and accurate application of electrodes.

Disposable Rhythmlink Template

Product Number	Size	Qty
Standard Templates		
STDTS	48-55 cm	1
STDTM	55-60 cm	1
STDTL	60-65 cm	1
ICU Templates		
ICUTSM	45-55 cm	1
ICUTML	55-65 cm	1

Disposable Rhythmlink Template Electrodes

Product Number	Includes	Qty
RLITN1515	Standard Subdermal Needles	15
CTGN115	Guardian Needle 13mm	24
RLIT131-1.0	Deep Cup EEG Electrodes	21
	Recording Sticky Pads	4
RLITD2910	Deep Cup EEG Electrodes	25
	Recording Sticky Pads	4



RHYTHMLINK BRAINHEALTH HEADSET™


Rhythmlink's BrainHealth Headset is the perfect EEG companion for ER, ICU and critical care environments.

Rhythmlink's BrainHealth Headset includes an application guide, pre-loaded with 21 Rhythmlink PressOn™ Electrodes. The headset is easy to apply, quick and efficient. Designed to be used by medical professionals already at bedside, meaning you get high quality EEG recordings fast!

To apply, simply place the headset on the patient. Using the pre-determined locations, deploy the PressOn Electrodes - no skin prep required - and remove the guide to record.

Disposable Rhythmlink BrainHealth™ Headset

Product Number	Electrode Diameter	Lead Length	Includes	Qty
DHP102121	7mm	1.5m	21 PressOn™ Electrodes	1




STICKY PAD™ SURFACE ELECTRODES

RhythmLink's Recording Sticky Pad Surface Electrodes are disposable, pre-gelled and are perfect to use with our EEG cup electrodes for forehead recording.

Disposable Single Recording Sticky Pad

Product Number	Size	Lead Length	Electrodes Per Box
Single Recording Sticky Pads			
DECUS10026	Small [15 x 20mm] 	1.0	80
DECUS15026		1.5m	
DECUS25026		2.5m	
DECUL15026	Large [20 x 25mm] 	1.5m	80
DECUL25026		2.5m	
RLSP492	Small [15 x 20mm] 	1.5m	60
RLSP537	Large [20 x 25mm] 	3.0m	80



PRESSON™ ELECTRODES

Place electrodes and record data quickly with the Disposable PressOn EEG Electrode. Utilize your staff that is already present and achieve reliable, real time data to help establish the best patient care plan possible.

Disposable PressOn™ Button Electrodes

Product Number	Description	Lead Length	Quantity
CTPB115 (CT)		1.5m	5
MRPB215 (MR/CT)			12



STANDARD EEG ELECTRODES

Our standard EEG electrodes provide exceptional recording quality and can be used for standard CT imaging.

Disposable Standard EEG Electrodes

Product Number	Description	Lead Length	#/Box
 Slim Cups™			
DAGD102600	Standard 10 Colors 	1.0m	10
DAGD152600		1.5m	
DAGD202600		2.0m	
DAGD252600		2.5m	
DAGD302600		3.0m	
SC1420		2.0m	14
SC2315T*		1.5m	23
SC2325		2.5m	
SC2410		1.0m	24
SC2515T*		1.5m	25
SC2520		2.0m	
SC11026		1.0m	26
SC2615		1.5m	
SC3015			30
 Deep Cups™			
DC110	Standard 10 Colors 	1.0m	10
DC115		1.5m	
DC115T*		1.5m	
DC120		2.0m	
DC125		2.5m	
DC11512		1.5m	12
DC1415			14
DC1520		2.0m	15
DCPSG1520		2.0m	
DC1615		1.5m	16
DC1715		1.5m	17
SPDC1810		1.0m	18
DC21151020		1.5m	21

STANDARD EEG ELECTRODES

Disposable Standard EEG Electrodes

Product Number	Description	Lead Length	#/Box
 Deep Cups™			
DC2215		1.5m	22
DC2315			23
DC23152	 1 Bundle with 10/20 labeling		23
DC2415			24
DC24153	 with 10/20 labeling	1.5m	
DC24151020	 with 10/20 labeling	1.5m	
DC241510202	 with 10/20 labeling	1.5m	
DC2510		1.0m	25
DC2515	 with 10/20 labeling	1.5m	
DC2520		2.0m	
DC2520T*		2.0m	
DC25101020		1.0m	
DC2515201020	 	1.5m 2.0m	23 2
DC11526		1.5m	26
DC11526T*		1.5m	
DC2615	 with 10/20 labeling	1.5m	
DC2620		2.0m	
DC2615201020	 	1.5m 2.0m	24 2
DC2710		1.0m	27
DC22710		1.0m	
DC22715		1.5m	
DC2715		1.5m	
DC27151020	 with 10/20 labeling	1.5m	
DC2720		2.0m	

Slim Cup, Deep Cup, Webb and Sticky Pads are trademarks of RhythmLink International, LLC
Webb is a trademark of RhythmLink International, LLC.

STANDARD EEG ELECTRODES

Disposable Standard EEG Electrodes

Product Number	Description	Lead Length	#/Box
 Deep Cups™			
DC28152	2 Bundles of 14 electrodes with 10/20 labeling	1.5m	28
DC291520	</		

STANDARD EEG ELECTRODES


Disposable Standard EEG Electrodes

Product Number	Description	Lead Length	#/Box
Combo			
DAGDWEBB1215	Slim Cups™  Webbs™ 	1.5m	10 2
DCW1915	Deep Cups™  Webbs  with 10/20 labeling	1.5m	10 9
RLSP517	Deep Cups  Webbs 	1.5m	15 7
DCDECUL22251530	Deep Cups  Recording Sticky Pads™  (3 pouches)	2.5m 1.5m & 3.0m	10 12
DAGDWEBB2315S	Slim Cups & Webbs, 3 Bundles, 10/20 with Custom Colors	1.5m	23
DAGDWEBB2415	Slim Cups  Webbs 	1.5m	22 2
DAGDWEBB2615	Slim Cups  Webbs 	1.5m	24 2
DCW2615	Deep Cups  Webbs 	1.5m	18 8
DCDECUG261525	Deep Cups  Ground Sticky Pad 	1.5m 2.5m	25 1
DCDECUL271015	Deep Cups  Recording Sticky Pads 	1.0m 1.5m	23 4
RLSP511	Deep Cups  Recording Sticky Pads™ 	1.0m 1.5m	23 4
DCW2715	Deep Cups  Webbs  with 10/20 labeling	1.5m	16 11
DCDECUL2815	Deep Cups  Recording Sticky Pads™ 	1.5m	24 4
DAGDECUL2915	Slim Cups  Recording Sticky Pads™ 	1.5m 2.5m	25 4
DCDECUL3015	Deep Cups  Recording Sticky Pads™ 	1.5m	26 4

RHYTHMLINK CUSTOM ELECTRODE OPTIONS

Need something you don't see listed in our catalog? We can make it happen! RhythmLink offers services to our customers including custom products, bundled packaging and private labeling.

CUSTOM PRODUCTS - Have an idea for a new product that you'd like to see? RhythmLink has an accomplished product design, development and manufacturing team that offer years of experience for new products. No matter where you are in the design process, RhythmLink can help you get there, from concept to completed, packaged product.



PRIVATE LABELING - Select from a variety of options to have our product privately labeled for your facility and brand. RhythmLink can privately label an existing product or create a new packaged product.

BUNDLED PACKAGING - RhythmLink can fulfill your need for personalized packaging! Whether it's more or less electrodes per pouch, multiple products in a box or single color leadwire, we can develop a solution to answer your request. Take advantage of existing product options or send in your own ideas.



Ready to make your own truly custom product? Contact our sales team at 866.633.3754 or email us at sales@rhythmink.com



EMG/NCV Products

EMG NEEDLE ELECTRODES

Disposable Detachable Monopolar Needle Electrodes for EMG

Disposable sterile detachable monopolar needle electrodes for EMG feature a PTFE coated stainless steel needle. Each package includes two 251-24TP reusable 0.61 meter (24") flexible leadwires ending with a touch proof connector.

Product Number	Description	Needle Length	Electrodes Per Box
110-725	0.35mm Diameter (27g) - Green	25mm	35
110-637	0.40mm Diameter (26g) - Pink	37mm	
110-737	0.35mm Diameter (27g) - Blue	37mm	
110-744	0.35mm Diameter (27g) - Lavender	44mm	
110-650	0.40mm Diameter (26g) - White	50mm	
251-24TP	Reusable 24" Touch Proof Leadwire		1



Disposable Monopolar Needle Electrodes for EMG

Disposable sterile PTFE coated stainless steel monopolar needle electrodes for EMG have a 0.61 meter (24") flexible PVC insulated leadwire ending with a standard touch proof connector.

Product Number	Description	Needle Length	Electrodes Per Box
111-725-24TP	0.35mm Diameter (27g) - Green	25mm	50
111-637-24TP	0.40mm Diameter (26g) - Pink	37mm	
111-737-24TP	0.35mm Diameter (27g) - Blue	37mm	
111-837-24TP	0.32mm Diameter (28g) - Blue	37mm	
111-744-24TP	0.35mm Diameter (27g) - Lavender	44mm	
111-650-24TP	0.40mm Diameter (26g) - White	50mm	
111-575-24TP	0.45mm Diameter (25g) - Gray	75mm	25




EMG/NCV SURFACE ELECTRODES

Disposable Detachable Concentric Needle Electrodes for EMG

RhythmLink's quality and consistent availability are now available for EMG/NCV users looking for a concentric needle!

Product Number	Description	Needle Length	Electrodes Per Box
EMGCNR25	0.30mm Diameter (30g) - Red	25mm	20
EMGCNY25	0.40mm Diameter (27g) - Yellow	25mm	
EMGCNG37	0.45mm Diameter (26g) - Dark Green	37mm	
EMGCNB50	0.45mm Diameter (26g) - Dark Blue	50mm	
EMGCNV75	0.60mm Diameter (23g) - Purple	75mm	
EMGCNCOMBO	Combo Pack that Contains 4 of Each Concentric Needle Sizes	Various	



Reusable Cables for Concentric Needle Electrodes

RhythmLink's reusable cable for our concentric needle electrodes is a perfect fit.

Product Number	Description	Lead Length	Electrodes Per Box
EMGCN-CBL15	5-pole DIN Connector	1.5m	1



EMG/NCV SURFACE ELECTRODES

Disposable Injectable Monopolar Needle Electrodes for EMG

Disposable sterile PTFE coated stainless steel injectable monopolar needle electrodes combine EMG with related drug therapy injections such as Botulinum toxin. They have an attached 0.61 meter (24") leadwire made of super-flexible PVC insulated wire ending with a standard touch proof connector. Choose box of 10 or box of 25.

Product Number	Description	Needle Length	Electrodes Per Box
242-025-24TP	0.30mm Diameter (30g) - Blue	25mm	10
242-025-24TP-25	0.30mm Diameter (30g) - Blue		25
242-725-24TP	0.41mm Diameter (27g) - Green		10
242-725-24TP-25	0.41mm Diameter (27g) - Green		25
242-637-24TP	0.46mm Diameter (26g) - Pink	37mm	10
242-637-24TP-25	0.46mm Diameter (26g) - Pink		25
242-550-24TP	0.51mm Diameter (25g) - White	50mm	10
242-550-24TP-25	0.51mm Diameter (25g) - White		25
242-375-24TP	0.64mm Diameter (23g) - Gray	75mm	10
242-3100-24TP	0.64mm Diameter (23g) - Natural	100mm	10
242-3125-24TP	0.64mm Diameter (23g) - Natural	125mm	10



Disposable NCV Sticky Pad Surface Electrodes with Leadwire

Our disposable NCV Sticky Pad Surface Electrodes are cleared for recording and available in a variety of shapes and sizes, all with adhesive hydrogel which keeps the electrodes in place and enhances recordings.

Product Number	Description	Lead Length	Electrodes Per Box
NCVD80L	20mm Disc Electrodes	1.5m	80
NCVT80L	20x25mm Tab Electrodes	1.0m	80
NCVR40L	8x106mm Ring Electrodes	0.5m	40
NCVG40L - 1.0	40x50mm Ground Electrodes	1.0m	40
NCVG40L - 2.0	40x50mm Ground Electrodes	2.0m	40
NCVKIT60L	2 Discs and 1 Ground Electrode Kit	1.0m	60

EMG/NCV SURFACE ELECTRODES

Disposable NCV Sticky Pad Surface Electrodes without Leadwire

Our disposable NCV Sticky Pad Surface Electrodes are cleared for recording and available in a variety of shapes and sizes, all with adhesive hydrogel with keeps the electrodes in place and enhances recordings.

Product Number	Description	Electrodes Per Box
NCVB100	12x18mm with 25mm between Disc Areas	100
NCVR100	8x95mm Ring Electrodes	100
NCVT100	22x32mm Tab Electrodes	100
NCVG50	40x50mm Ground Electrodes	50
NCVKIT15	In each pouch: 2 Paired Rings, 2 Bars, 2 Tabs In each box: 15 pouches	90
256-2A1J-48STP	Alligator Clip to Touch Proof (Female) Gray	1 Clip
256-A-24BTP	Alligator Clip - 24" Black Leadwire	
256-A-24GTP	Alligator Clip - 24" Green Leadwire	
256-A-24RTP	Alligator Clip - 24" Red Leadwire	
256-A-36BTP	Alligator Clip - 36" Black Leadwire	
256-A-36GTP	Alligator Clip - 36" Green Leadwire	
256-A-36RTP	Alligator Clip - 36" Red Leadwire	
256-A-48BTP	Alligator Clip - 48" Black Leadwire	
256-A-48GTP	Alligator Clip - 48" Green Leadwire	
256-A-48RTP	Alligator Clip - 48" Red Leadwire	



ADAPTERS AND EXTENSION CABLES

Extension Cables

Single extension cables allow you to extend the leadwire length of a standard EMG electrode. It is a 0.61 meter (24") PVC insulated leadwire ending with a standard touch proof connector. Other lengths available upon request.

Paired cables allow you to extend the leadwire length of a standard EMG electrode. It is available in 0.61 meter (24") or 1.2 meter (48") PVC insulated red and black twisted leadwire.


Product Number	Description	Leadwire	Quantity
Single			
253-24BTP	Single - Black	0.61m	1
253-24RTP	Single - Red		
253-24GTP	Single - Green		
Paired			
254-24TP	Twisted - Red & Black	0.61m	1
254-48TP	Twisted - Red & Black	1.2m	



Stacking Touch Proof Jumper

Need to manage multiple ground connections, or convert your equipment from a 5 pin DIN connector to standard touch proof? We have an adaptor for that - and more.

Product Number	Description	Color	Quantity
256-2A1J-48STP	Alligator Clips to Touch Proof (Female)	Grey	1
251-24TP	Adapter cable for 110 series electrodes	Black	



256-2AIJ-48STP



RhythmLink - IONM Products


STIMULATING PROBES

Rhythmink's Stimulating Probes are made from stainless steel with handles specifically designed for a surgeons needs. Each probe has been designed for specific procedures in mind.


Disposable Stimulating Probes

Product Number	Probe Length	Probe Diameter	Tip Diameter	Lead Length	Quantity
Standard Ball Tip Stimulating Probe					
RLBTP101-2.5	100mm	1.5mm	3mm	2.5m	1
RLBTP100-2.5					10
Tapered Ball Tip Stimulating Probe					
RLBTP151-2.5	150mm	1.85-2.5mm	2.3mm	2.5m	1
RLBTP150-2.5					10
RLBTP201-2.5	200mm				1
RLBTP200-2.5					10
Standard Monopolar Stimulating Probe					
RLMSP051-2.5	100mm	1.5mm	0.75mm	2.5m	1
RLMSP050-2.5					10
Extended Monopolar Stimulating Probe					
RLMSP101-2.5	160mm	3.5mm	1.6mm	2.5m	1
RLMSP100-2.5					5
Monopolar Stimulating Probe with Removable Handle					
RLSP400	200mm	1.5mm	1.5mm	2.5m	1

These products are not a part of Rhythmink's sample program.



RHYTHMLINK SUBDERMAL NEEDLES



Single Subdermal Needles - Quality recording and stimulating can only occur when you're using a quality product. Our single straight disposable needles are available in the following lengths:

7mm

13mm

19mm

22mm

Single bent subdermal needles are also available.



Parallel Paired Subdermal Needles - flexibility to separate the leadwire as much or as little as needed, our paired needles are available in:

7mm

13mm

19mm

22mm



Corkscrew Subdermal Needles - designed to stay securely in place during application. Our disposable corkscrew needles offer an easy to grip hub and are packaged in individual sterile pouches.


Guardian Needle™ - designed with enhanced features to protect the patient and medical personnel from accidental needle injury as well as delivering equivalent recording and stimulating quality.




Guardian+ Plus Needle™ The Guardian+ Plus Needle encloses the hub in a sterile adhesive bandage designed to replace the use of tape to secure the needle in place.

Twisted Subdermal Needles - multiple needle electrodes offered in one, convenient easy open pouch with twisted wires for better organization. Available as straight needles in twisted pairs, twisted bundles or corkscrews in pairs or 4-Twist.


Twisted Pairs
Subdermal Needle
Electrodes



5-Twist Subdermal
Needle Electrodes



6-Twist Subdermal
Needle Electrodes



SUBDERMAL NEEDLES

RhythmLink's Disposable Subdermal Needle Electrodes offer the quality you expect and deliver the patient comfort that you need. Made of high-tensile strength stainless steel and cleared for both stimulating and recording. Select from a variety of needle lengths and styles, leadwire colors and lengths, singles or pairs.

Disposable Single Needle Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
Single 7mm (Short) Needles			
RLSND107-1.5	6-Color Group 1 	1.5m	24
RLSND107-2.5		2.5m	
RLSND109-1.5	6-Color Group 2 	1.5m	24
RLSND109-2.5		2.5m	
RLSND108-2.5	12-Color 	2.5m	24
Single 13mm Needles*			
RLSND314-2.5	Multipack with Custom Colors	2.5m	14
RLSP351	5-Color Group 1 	1.5m	25
RLSP450		2.5m	20
RLSP350	5-Color Group 2 	1.5m	25
RLSND110-1.0	6-Color Group 1 	1.0m	24
RLSND110-1.5		1.5m	
RLSND110-2.5		2.5m	
RLSND112-2.5	6-Color Group 2 	2.5m	24
RLSND111-1.0	12-Color 	1.0m	24
RLSND111-1.5		1.5m	
RLSND111-2.5		2.5m	
* 13mm Needles are also available in individual color boxes, in 1.5 & 2.5m length in quantities of 24 electrodes.			
Single 19mm Needles			
RLSND113-1.5	6-Color Group 1 	1.5m	24
RLSND113-2.5		2.5m	
RLSND114-1.5	12-Color 	1.5m	24
RLSND114-2.5		2.5m	
Single 22mm Needles			
RLSND170-1.5	6-Color Group 1 	1.5m	24
RLSND170-2.5		2.5m	

SUBDERMAL NEEDLES

Disposable Paired Needle Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
Paired 7mm (Short) Needles			
RLSND125-1.5	Color Group 1 	1.5m	10
RLSND125-2.5		2.5m	
RLSND126-1.5	Color Group 2 	1.5m	10
RLSND126-2.5		2.5m	
Paired 13mm Needles*			
RLSND121-1.0	Color Group 1 	1.0m	10
RLSND121-1.5		1.5m	
RLSND121-2.0		2.0m	
RLSND121-2.5		2.5m	
RLSP310		1.5m	20
RLSND122-1.0	Color Group 2 	1.0m	10
RLSND122-1.5		1.5m	
RLSND122-2.5		2.5m	
RLSP503	Color Group 4 	2.5m	12
RLSP531C	 Easy pull touchproof connectors	2.5m	12
RLSP290	13mm Paired Needle Electrodes	1.5m	8
	13mm Single Needle Electrode	2.5m	1
	Ground Sticky Pad™ Electrode	2.5m	1
RLSND116P-1.5	Color Group 1  13mm Paired Needle Electrodes Bent Needle Electrodes	1.5m	10
* 13mm Paired Needles are also available in individual color boxes, in 1.5 & 2.5m length in quantities of 10 electrodes.			

Disposable Paired Needle Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
Paired 19mm Needles			
RLSND123-1.5	Color Group 1 	1.5m	10
RLSND123-2.5		2.5m	
RLSND124-1.5	Color Group 2 	1.5m	10
RLSND124-2.5		2.5m	
Paired 22mm Needles			
RLSND173-1.5	Color Group 1 	1.5m	10
RLSND173-2.5		2.5m	
RLSND174-1.5	Color Group 2 	1.5m	10
RLSND174-2.5		2.5m	
RLSP504	Color Group 3 	2.5m	8

Disposable Twisted Paired Needle Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
Twisted Paired 13mm Needles			
RLSND131-2.5	Color Group 1 	2.5m	10 pairs
RLSND132-2.5	Color Group 2 	2.5m	10 pairs
RLSP430	Color Group 3 	1.5m	12 pairs
TSN2325		2.5m	
TSN2320		2.0m	12 pairs

SUBDERMAL NEEDLES

Disposable 5 & 6 Twisted Needle Electrodes

Product Number	Description	Lead Length	Set of Twists Per Box
RLSP484	5-Twist 	1.5m	4
RLSP513		2.5m	
RLSP483	6-Twist 	1.5m	3
RLSP512		2.5m	
RLSND118-1.5	6-Twist with Bent Needles 	1.5m	3
RLSP530	7-Twist	1.5m	3
RLSP527	7-Twist	2.5m	3

Disposable Bent Needle Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
SNB1710	Bundle 1  Bundle 2 	1.0m	17
RLSND116-1.5	6-Color Group 1 	1.5m	24
RLSND116-2.5		2.5m	
RLSND117-1.5	12-Color 	1.5m	24

Disposable Corkscrew Needle Electrodes


Product Number	Description	Lead Length	Electrodes Per Box
RLSP486	4-color Single 	1.5m	12
RLSND140-1.0	6-color Single 	1.0m	12
RLSND140-1.5		1.5m	
RLSND140-2.5		2.5m	
TCN2115	2-Twist Corkscrew 	1.5m	12
TCN4115	4-Twist Corkscrew 		12
TCN2125	2-Twist Corkscrew 	2.5m	12
TCN4125	4-Twist Corkscrew 	2.5m	12
TCN5115	5-Twist Corkscrew 	1.5m	15
TCN5125	5-Twist Corkscrew 	2.5m	15

RHYTHMLINK GUARDIAN NEEDLE™

The Guardian Needle Electrode is a subdermal needle electrode which can be used in any situation where the current subdermal needles are used. Enhanced features are designed to protect the patient and medical personnel from accidental needle injury as well as delivering equivalent recording and stimulating quality.

Disposable Guardian Needle - Safety Subdermal Electrode

Product Number	Description	Lead Length	Electrodes Per Box
CTGN215	13mm Guardian Needle	1.5m	24
CTGN2121-1.5	13mm Paired Guardian Needle	1.5m	10 Pairs




Watch our Guardian Needle
Application Video at:
[Rhythmink.com/guardian](https://rhythmink.com/guardian)

Disposable Guardian+ Plus Needle - Safety Subdermal Electrode

The Guardian+ Plus Needle offers additional features by enclosing the hub in a sterile adhesive bandage designed to replace the use of tape to secure the needle in place.

Product Number	Description	Lead Length	Electrodes Per Box
CTGN615	13mm Subdermal Needle with Bandage in a Protective Hub	1.5m	6
CTGN115		1.5m	24
CTGN121-1.5	13mm Paired Subdermal Needle with Bandage in a Protective Hub	1.5	10 Pairs
RLITCTGNM1.0	13mm 10/20 Guardian+ Plus Needles with a Standard Medium RLI Template	1.0m	21
RLITCTGNL1.0	13mm 10/20 Guardian+ Plus Needles with a Standard Large RLI Template	1.0m	21



Guardian Needle is a trademark of Rhythmink International LLC.

MR CONDITIONAL STICKY PAD™ SURFACE ELECTRODES

MR Conditional Sticky Pad™ Surface Electrodes are the same high-quality surface electrodes you've come to expect from RhythmLink, now made with improved leadwire for enhanced CT Compatibility, and FDA Clearance for 1.5 and 3T MRI. Disposable MR Conditional Sticky Pads are available in two sizes and specially formulated for Stimulating, Recording or Grounding.

Disposable MR Conditional Sticky Pad Surface Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
Single Stimulating Sticky Pads			
MRSPSS8015	Small [15 x 20mm] 	1.5m	80
MRSPSS8025		2.5m	
MRSPSL8015	Large [20 x 25mm] 	1.5m	
MRSPSL8025		2.5m	
Single Recording Sticky Pads			
MRSPRS4025	Small [15x20mm] 	2.5m	40
MRSPRL4015	Large [20 x 25mm] 	1.5m	40
MRSPRS8015	Small [15 x 20mm] 	1.5m	80
MRSPRS8025		2.5m	
MRSPRL8015	Large [20 x 25mm] 	1.5m	
MRSPRL8025		2.5m	
Ground Sticky Pads			
MRSPG4015	45 x 35mm 	1.5m	40
MRSPG4025		2.5m	
Sample Pack			
MRSPSTMRECG1525	2 of each Sticky Pad Electrodes (Ground, Stimulating, Recording) in both Small and Large	1.5m & 2.5m	18



STICKY PAD™ SURFACE ELECTRODES

RhythmLink's Sticky Pad Surface Electrodes are disposable, pre-gelled and formulated for recording, stimulation or grounding.

Disposable Standard Sticky Pad Surface Electrodes

Product Number	Description	Lead Length	Electrodes Per Box
Single Stimulating Sticky Pads			
STCUS15026	Small [15 x 20mm] 	1.5m	80
STCUS25026		2.5m	
STCUS30026		3.0m	
STCUL15026	Large [20 x 25mm] 	1.5m	
STCUL25026		2.5m	
Parallel Pair Stimulating Sticky Pads			
PSTCUS30026	Small [15 x 20mm] 	3.0m	20 pairs
PSTCUS15026	Small [15 x 20mm] 	1.5m	40 pairs
PSTCUS25026		2.5m	
PSTCUL15026	Large [20 x 25mm] 	1.5m	
PSTCUL25026		2.5m	
Single Recording Sticky Pads			
DECUS10026	Small [15 x 20mm] 	1.0m	80
DECUS15026		1.5m	
DECUS25026		2.5m	
DECUL15026	Large [20 x 25mm] 	1.5m	
DECUL25026		2.5m	
RLSP537	Large [20x25mm] 	3.0m	80
RLSP492	Small [15 x 20mm] 	1.5m	60
RLSP536	Large [20 x 25mm] 	3.0m	60
Parallel Pair Recording Sticky Pads			
PDECUS15026	Small [15 x 20mm] 	1.5m	40 pairs
PDECUS25026		2.5m	
PDECUL15026	Large [20 x 25mm] 	1.5m	
PDECUL25026		2.5m	
RLSP482	Small [15 x 20mm] 	3.0m	20 pairs
Ground Sticky Pads			
DECUG10026	45 x 35mm 	1.0m	40
DECUG15026		1.5m	
DECUG25026		2.5m	
RLSPGSP120	40x50mm 	2.0m	
NCV115	40 Small Recording Sticky Pads  20 Ground Sticky Pads 	1.5m	60

ALLIGATOR CLIPS

Rhythmink's Disposable Alligator Clips are 100% disposable, sterile and intended for use in the recording of intraoperative neuromonitoring.

Disposable Alligator Clip

Product Number	Description	Lead Length	Quantity
RLSP487	Small Clip	2.5m	12



ET TUBE ELECTRODES

Designed to easily fit any ET tube, the Dragonfly® Laryngeal Electrode is designed to accurately monitor the Xth Nerve/ RLN monitoring. With unique stripes for easy placement, the Dragonfly is compatible with most recording devices. The Disposable Cobra® Monitoring ET Tube is constructed of PVC for quality performance and provides monitoring of the RLN using a standard ET Tube. The Cobra Electrode's recording surface is flush with the ET tube for smooth airway contact.

Disposable ET Tube Electrodes

Product Number	Description	ET Tube Size	Lead Length	Quantity
Disposable Dragonfly Electrodes				
LSE500MS-5	Single Channel	6.0 - 7.0	0.8m	5
LSE500M-5		7.5 - 10.0		
LSE500DCS-5	2-Channel	6.0 - 7.0	2.0m	5
LSE500DCL-5		8.0 - 9.5		
Disposable Cobra Monitoring ET Tube				
LTE7003PS-5	3-Plate EMG Endotracheal Tube	6.0	2.0m	5
LTE7003PM-5		7.0		
LTE7003PL-5		8.0		

This product is not part of Rhythmink's sample program.
Dragonfly and Cobra are registered trademarks of Neurovision Medical Products.



SIGHTSAVER™ FLASH VISUAL EVOKED POTENTIAL STIMULATOR

The SightSaver™ is a FDA approved device to facilitate the monitoring of visual pathways, and prevent vision loss during surgery. It consists of a disposable adhesive foam padding shaped to the contours of the periorbital region attached to a printed circuit board with specially selected high intensity light emitting diodes (LED). The FDA approved SightSaverMini™ is a more streamlined version of the standard SightSaver™ visor. A reusable cable interface is compatible with standard clinical neurophysiology systems used for triggering an LED goggle device.

The SightSaver

Product Number	Compatibility	Use
SightSaver Visor		
ATv001	See Cables Below	Disposable
SightSaver Visor Cables		
ATcc002	Cadwell w/ID Chip	Reusable
ATcne001	Natus Eneavor	
ATcm001	Medtronic NIM Eclipse	
ATcnk002	Nihon Kohden	
SightSaver Mini		
ATmv001 (one pair)	See Cables Below	Disposable
SightSaver Mini Cables		
ATmvc001		Reusable

The SightSaverVisor and SightSaverMini are not part of Rhythmink's Sample Program.
SightSaver is a trademark of Anshek Technology Inc.

GELS & PASTES

A must-have for all procedures using surface electrodes, NuPrep® Gel is a mild abrasive that strips away dead skin and moistens the cornium skin layer, resulting in improved conductivity and lower impedances. Ten20® Conductive Paste is a washable, non-drying adhesive that's perfect for applying Rhythmink's EEG Electrodes. Ten20 can also be used with electrodes applied with collodion giving you the advantage of not having to re-gel the electrode once it's in place.

Gels & Pastes

Product Number	Size	Quantity
Nuprep Gel		
10-30	4 oz	3 Tubes
10-61	25g	6 Tubes



This product is not part of Rhythmink's sample program.
Nuprep is a registered trademark of Weaver and Company.

PRODUCT LISTING BY PART NUMBER

PART NUMBER	PAGE				
10-20-1	50	DCDECUL22251530	29	MRDC210	21
10-30	50	DCPSG1520	29	MRDC215	21
10-61	50	DCW2615	29	MRDC225	21
10-20-4	50	DC110	28	MRDC310	21
10-20-4T	50	DC115	28	MRDC315	21
10-20-8	50	DC115T	28	MRDC325	21
110-637	34	DC11512	28	MRDC410	21
110-650	34	DC11526	28	MRDC415	21
110-725	34	DC11526T	28	MRDC515	21
110-737	34	DC1415	28	MRDC2015	21
110-744	34	DC120	28	MRDC2215	22
111-575-24TP	34	DC125	28	MRDC2415	22
111-637-24TP	34	DC1615	28	MRDC2615	22
111-650-24TP	34	DC1520	28	MRDC2710	22
111-725-24TP	34	DC1715	28	MRDC2910	22
111-737-24TP	34	DC2215	28	MRDC2915	22
111-744-24TP	34	DC22710	29	MRDC3015	22
111-837-24TP	34	DC22715	29	MRLL1	23
242-025-24TP	36	DC23152	29	MRLL24	23
242-025-24TP-25	36	DC2415	29	MRP210	23
242-375-24TP	36	DC24153	29	MRP215	23
242-550-24TP	36	DC24151020	29	MRP225	23
242-550-24TP-25	36	DC241510202	29	MRP310	23
242-637-24TP	36	DC2510	29	MRP315	23
242-637-24TP-25	36	DC2515	29	MRP325	23
242-725-24TP	36	DC2520	29	MRP410	23
242-725-24TP-25	36	DC2520T	29	MRP415	23
242-3100-24TP	36	DC25101020	29	MRP515	23
242-3125-24TP	36	DC2515201020	29	MRP525	23
251-24TP	37	DC2615	29	MRPB215	23
253-24BTP	38	DC2620	29	MRSPG4015	24, 48
253-24GTP	38	DC2615201020	29	MRSPG4025	24, 48
253-24RTP	38	DC2710	29	MRSPRS4025	24, 48
254-24TP	38	DC2715	29	MRSPRS8015	24, 48
254-48TP	38	DC27151020	29	MRSPRS8025	24, 48
256-2AIJ-48STP	37	DC2720	29	MRSPRL4015	24, 48
256-A-24BTP	37	DC28152	30	MRSPRL8015	24, 48
256-A-24GTP	37	DC2910	30	MRSPRL8025	24, 48
256-A-24RTP	37	DC3015	30	MRSPSS8015	24, 48
256-A-36BTP	37	DECUG10026	48	MRSPSS8025	24, 48
256-A-36GTP	37	DECUG15026	48	MRSPSL8015	24, 48
256-A-36RTP	37	DECUG25026	48	MRSPSL8025	24, 48
256-A-48BTP	37	DECUS10026	27, 48	MRQD10810	8
256-A-48GTP	37	DECUS15026	27, 48	MRQD2060710	8
256-A-48RTP	37	DECUS25026	27, 48	MRQD2070615	8
ATcc002	50	DECUL15026	27, 48	MRQD2070810	8
ATcm001	50	DECUL25026	27, 48	MRQD2070715	8
ATcne001	50	DCDECUG261525	31	MRQD2080915	9
ATcnk002	50	DCDECUL271015	31	MRQD2090910	9
ATmv001	50	DCDECUL2815	31	MRQD2101015	9
ATmvc001	50	DCDECUL3015	31	MRQD21915	9
ATv001	50	DCW1915	31	MRQD22015	9
CTPB115	25	DCW2715	31	MRQD307070710	9
CTC115	25	DHP102121	26	MRQD307080815	9
CTDC115	25	EMGCNR25	35	MRQD307070815	9
CTDC2215	25	EMGCNY25	35	MRQD32315	10
CTDC2615	25	EMGCNG37	35	MRQD323153	10
CTDC26151020	25	EMGCNB50	35	MRQD323154	10
CTDC2715	25	EMGCNV75	35	MRQD305090915	10
CTDC2825	25	EMGCN-CBL15	35	MRQD40606060515	10
CTDC3020	25	EMGCNCOMBO	35	MRQD32410	10
CTDC3515	25	ICUTML	26	MRQD32415	10
CTDC4415	25	ICUTSM	26	MRQD308080915	10
CTGN615	46	LSE500DCS-5	49	MRQD308070815	10
CTGN115	46	LSE500DCL-5	49	MRQD308071015	10
CTGN215	46	LSE500M-5	49	MRQD309090515	10
CTGN121-1.5	46	LSE500MS-5	49	MRQD309060910	11
CTN115	25	LTE7003PS-5	49	MRQD324102	11
CTN125	25	LTE7003PM-5	49	MRQD310041015	11
CTSW2715	25	LTE7003PL-5	49	MRQD310100315	11
CTW115	25	MRC210	21	MRQD40707060515	11
CTW2715	25	MRC215	21	MRQD310051015	11
DAGDECUL2915	29	MRC225	21	MRQD310100515	12
DAGD102600	29	MRC310	21	MRQD40607060610	12
PART NUMBER	PAGE	MRC315	21	MRQD32610	12
DAGD152600	29	PART NUMBER	PAGE	PART NUMBER	PAGE
DAGD202600	29	MRC325	21	MRQD32615	12
DAGD252600	29	MRC410	21	MRQD308081015	12
DAGD302600	29	MRC415	21	MRQD310100615	12
DAGDWEBB1215	29	MRC425	21	MRQD40606060715	12
DAGDWEBB2315S	29	MRC510	21	MRQD308100815	13
DAGDWEBB2415	29	MRC515	21	MRQD309080915	13
DAGDWEBB2615	29	MRC525	21	MRQD310061015	13
		MRC3010	21	MRQD42610	13

PRODUCT LISTING BY PART NUMBER

MRQD42615	13	RLITCTGNM1.0	26	SC2325	26
MRQD40707060615	13	RLITCTGNL1.0	26	SC2410	26
MRQD310100715	13	RLITN1515	26	SC2515T	26
MRQD310100715	13	RLMSP050-2.5	40	SC2520	26
MRQD33020	13	RLMSP051-2.5	40	SC3015	26
MRQD32915	14	RLMSP100-2.5	40	SNB1710	45
MRQD308080915	14	RLMSP101-2.5	40	SPDC1810	26
MRQD310101010	14	RLSND107-1.5	42	STCUS15026	48
MRQD310101015	14	RLSND107-2.5	42	STCUS25026	48
MRQDC310101015	14	RLSND108-2.5	42	STCUS30026	48
MRQD41010050815	14	RLSND109-1.5	42	STCUL15026	48
MRQD40710071015	14	RLSND109-2.5	42	STCUL25026	48
MRQD33020	17	RLSND110-1.0	42	STDTL	26
MRQD42815	17	RLSND110-1.5	42	STDTM	26
MRQDW32815	17	RLSND110-2.5	42	STDT5	26
MRQDW308080915	17	RLSND111-1.0	42	SWEBB1215	30
MRQS232415	17	RLSND111-1.5	42	TCN2115	45
MRQS33215	17	RLSND111-2.5	42	TCN2125	45
MRQS2070615	7	RLSND112-2.5	42	TCN4115	45
MRQS32410	7	RLSND113-1.5	42	TCN4125	45
MRQS32415	7	RLSND113-2.5	42	TCN5115	45
MRQS32615	7	RLSND114-1.5	42	TCN5125	45
MRQS309090515	7	RLSND114-2.5	42	TSN2320	44
MRQS310100315	7	RLSND116-1.5	45	TSN2325	44
MRQS308080815	7	RLSND116-2.5	45	WEBB102900	30
MRQS42610	8	RLSND116P-1.5	45	WEBB152900	30
MRQS310100815	8	RLSND117-1.5	45	WEBB202900	30
MRSPSTMRECG1525	24, 48	RLSND118-1.5	45	WEBB252900	30
MRWDC1710	21	RLSND121-1.0	43	WEBB1420	30
MRQW32410	15	RLSND121-1.5	43	WEBB1910	30
MRQW32415	15	RLSND121-2.0	43	WEBB2310C	30
MRQW3241520	15	RLSND121-2.5	43	WEBB2315	30
MRQW308080915	15	RLSND122-1.0	43	WEBB2610	30
MRQW32610	15	RLSND122-1.5	43	WEBB2615	30
MRQW32615	15	RLSND122-2.5	43	WEBB2710	30
MRQW309091015	16	RLSND123-1.5	44	WEBB2715	30
MRQW42615	15	RLSND123-2.5	44	WEBB2715T	30
MRQWD307070815	16	RLSND124-1.5	44		
MRQWSD308050815	16	RLSND124-2.5	44		
MRQWSD308080515	16	RLSND125-1.5	43		
MRQWSD306060515N	16	RLSND125-2.5	43		
MRW210	20	RLSND126-1.5	43		
MRW215	20	RLSND126-2.5	43		
MRW225	20	RLSND131-2.5	44		
MRW310	20	RLSND132-2.5	44		
MRW315	20	RLSND140-1.0	45		
MRW325	20	RLSND140-1.5	45		
MRW410	20	RLSND140-2.5	45		
MRW415	20	RLSND170-1.5	42		
MRW2110	21	RLSND170-2.5	42		
MRW2415	21	RLSND173-1.5	44		
MRW2515	21	RLSND173-2.5	44		
MRW3015	21	RLSND174-1.5	44		
MRWDC1710	21	RLSND174-2.5	44		
NCV115	37	RLSND314-2.5	42		
NCVB100	37	RLSP290	43		
NCVD80L	37	RLSP310	43		
NCVG40L-1.0	37	RLSP350	42		
NCVG40L-2.0	37	RLSP351	42		
NCVG50	37	RLSP400	40		
NCVKIT15	37	RLSP430	44		
NCVKIT60L	37	RLSP450	40		
NCVR100	37	RLSP482	48		
NCVR40L	37	RLSP483	45		
NCVT100	37	RLSP484	45		
NCVT80L	37	RLSP486	45		
PDECUS15026	48	RLSP487	47		
PDECUS25026	48	RLSP492	48		
PDECUL15026	48	PART NUMBER	PAGE		
PDECUL25026	48	RLSP503	43		
PSTCUS15026	48	RLSP504	44		
PSTCUS25026	48	RLSP512	45		
PSTCUS30026	48	RLSP513	45		
PSTCUL15026	48	RLSP516	21		
PSTCUL25026	48	RLSP517	29		
PART NUMBER	PAGE	PART NUMBER	PAGE		
RLBTP100-2.5	40	RLSP518	20		
RLBTP101-2.5	40	RLSP531C	43		
RLBTP150-2.5	40	RLSP536	48		
RLBTP151-2.5	40	RLSP537	48		
RLBTP200-2.5	40	RLSPGSP120	46		
RLBTP201-2.5	40	SC11026	26		
RLIT131-1.0	26	SC1420	26		
RLITD2910	26	SC2315T	26		

TERMS AND CONDITIONS

Ordering

We make every effort to process and ship orders as quickly as possible. Orders received by 3pm EST are typically processed the same day but please be aware that during peak ordering seasons processing times may be longer.

We do our best to have product available. Due to order fluctuations, back-orders can occur despite our best planning efforts. Please provide a forecast for your product needs to assist us with proper manufacturing planning and inventory including strategies if possible. Forecast information increases or decreases in product needs can be forwarded to our team at sales@rhythmink.com at any time. Thank you for your business and partnership as we work together to improve patient care.

To place an order,

- Visit Rhythmink.com to place your online order
- Call 866.633.3754 [803.252.1222]
- Fax 803.227.1015
- Email sales@rhythmink.com

Rhythmink products are currently available for sale in the United States, Australia, Brazil, Canada, Israel and European Union [EU]. Contact our Sales Team, sales@rhythmink.com, for specific country inquiries about product availability.

Requesting Samples

Visit Rhythmink.com to request samples. About two weeks after you've received your samples, we may send you a survey to fill out that will help us to continually improve our products and ordering processes. Contact our Sales Team for details. *Not all products are part of the sample program.*

Shipping

We ship all orders via FedEx or UPS. Please let us know if you have a carrier preference at the time of your order.

Both FedEx and UPS require the following information to ensure that orders are received in a timely manner:

- Phone Number
- Address classification [residential or commercial]
- Note: FedEx and UPS do not ship to PO Boxes

Returns

No returns will be accepted without pre-authorization prior to any return and may be subject to a stocking fee. For questions regarding a return please contact us at sales@rhythmink.com.

Offer and Acceptance

Any order placed by Customer is expressly limited to and governed by these Terms and Conditions ("Agreement"). Customer's submission of an order to Rhythmink or Rhythmink's shipment of products or performance of services shall constitute Customer's agreement to and

acceptance of these Terms and Conditions.

Purchase Orders

Any terms stated in, or otherwise provided in connection with, a Customer purchase order ("Purchase Order") that are in addition to or conflict with this Agreement shall have no force or effect.

Instructions for Use

Rhythmink will provide to the Customer for Customer's internal use one (1) copy of the current Instructions for Use ("IFU") for each Product. Customer shall not reproduce any IFU or Service Manual.

Delivery

Unless otherwise stated on the front of the invoice, Buyer shall be responsible for all freight, insurance, and other costs related to transport of the Products from Rhythmink's warehouse, and Buyer shall bear all risk of loss or damage from that point. Buyer shall promptly notify Rhythmink, in no event later than five (5) business days after delivery, of any claimed shortages or rejection as to any delivery. Such notice shall be in writing and shall be reasonably detailed, stating the grounds for any such rejection. Failure to give such notice within such time shall be deemed an acceptance in full of any delivery. Rhythmink shall not be liable for any shipment delays beyond the reasonable control of Rhythmink which affect Rhythmink or any of Rhythmink's suppliers, including, but not limited to, delays caused by natural disasters, acts of war, acts or omissions of Buyer, fire, strike, riot, governmental interference, unavailability or shortage of materials, labor, fuel, or power through normal commercial channels at customary and reasonable rates, or transport failures.

Price and Payment

RhythmLink, at its discretion, may require reasonable advance assurances of payment. All unpaid invoices shall bear interest at an amount equal to 2% of the outstanding balance per month (or the maximum rate of interest allowed to be contracted for by law, whichever is less) commencing upon the date payment is due. Buyer's failure to make timely payment may result in such action as commencement of proceedings for collection, revocation of credit, stoppage of shipment, delay or cessation of future deliveries, repossession of unpaid delivered goods, and termination of any one or more sales agreements. RhythmLink retains (and Buyer grants to RhythmLink by submitting a purchase order) a security interest in the Products to secure payment in full and compliance with all sales agreements, and Buyer agrees to execute any additional documents necessary to perfect such security interest and authorizes RhythmLink to execute and file financing statements or other necessary documents to perfect and continue such security interest. In the event that a sales invoice shall be placed by RhythmLink in the hands of an attorney for the purpose of collection or for the purpose of enforcing RhythmLink's security interest in the Products, Buyer agrees to pay any and all costs associated with such placement, including without limitation, attorney's fees and costs incurred prior to, during, or subsequent to trial. The amount due RhythmLink is contracted in U.S. Dollars and payment in U.S. Dollars is of the essence.

Taxes

Prices and fees stated for Products do not include any taxes. Customer shall pay when due any applicable sales or other taxes and related interest and penalties arising from Customer's acquisition or possession of the Products.

Restriction on Use of Products

Customer shall use each Product only: (i) for Customer's internal use; (ii) in the manner described in the Product's IFU; (iii) in accordance with applicable laws and regulations, and (iv) shall not export or re-export technical data or Products in violation of applicable export regulations.

Warranty

RhythmLink warrants that the products shall be new and of good quality and free from defects in material and workmanship for a period of 12 months from the date of delivery. In the event any of the products are found to be defective during such., RhythmLink will, at its option, repair or replace the defective product or refund the purchase price attributable. If a product return is required a Return Material Authorization (RMA) will be issued and the product must be returned within 90 days of the RMA being issued or the authorization to return could be revoked.

EXCEPT AS PROVIDED ABOVE, RHYTHMLINK MAKES NO REPRESENTATION OR WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THE CONDITION OR PERFORMANCE OF THE PRODUCTS AND IT HEREBY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. UNDER NO CIRCUMSTANCES SHALL RHYTHMLINK BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE LOSSES OR DAMAGES, INCLUDING THOSE RESULTING FROM THE PRODUCTS, THEIR DELIVERY, OR THEIR USE.

Limitation of Liability

RhythmLink shall not be liable under any circumstances for any special, consequential, incidental, punitive or exemplary damages arising out of or in any way connected with the products, including, but not limited to, damages for lost profits, loss of use, or for any damages or sums paid by buyer to third parties, even if rhythmLink has been advised of the possibility of such damages.

CAUTION!! Federal Law restricts this device to sale by or on the order of a practitioner licensed by the Law of the State in which he/she practices.

Quality

Have confidence in the products that you purchase from RhythmLink. We stand behind all of our products and have earned some of the most important certifications from around the globe.

- ISO 13485:2016
- EN ISO 13485:2016
- MDD 93/42/EEC
- MDSAP (ISO 13485:2016)
- ISO Class 8 Cleanroom

Contact Quality or Sales for specific marketing authorization.

For more information visit RhythmLink.com/quality.

Trademarks

RhythmLink is a registered trademark of RhythmLink International, LLC.

Quick Connect System, Sticky Pad, Limelight, LeadLock, Slim Cup, Deep Cup and Webb are trademarks of RhythmLink International, LLC.

The appearance of the MR Quick Connect extension cable is a trademark of RhythmLink.

Ten20 and Nuprep are registered trademarks of Weaver and Co.

Dragonfly and Cobra are registered trademarks of Neurovision Medical Products.

SightSaver is a trademark of Ansheel Technology Inc.

Patents

PressOn Electrode, US Patent Nos. 8112131, 8185183, 8271065, 8428681, 8538502, Chinese Patent No. CN101720202, Japanese Patent No. JP5226776 and European Patent No. EP2155056.

Monopolar Stimulating Probe with Removable Handle, US Patent No. 8137285

Guardian Needle Electrode, US Patent Nos. 10,932,683 and 11,690,549

Enhancing Patient Care Worldwide by
Connecting Patients to Machines.



PHONE
866.633.3754
[803.252.1222]

FIND US ONLINE AT
RhythmLink.com
sales@rhythmLink.com



Rev 2025.000